

## **SPECIFICATION DEVELOPMENT PROCESS**

**THE INFORMATION BELOW IS TO BE PROVIDED BY THE ORIGINATOR** (The person who receives or originates the issue and needs to forward the issue for action.)

**Modify Specification** This change is a result of changes to either Sections 560, 561, 562, 971 or 975.

New Section \_\_\_\_\_  
Section number

**Subject:**

**Origination date:**

**Originator:** Karen Byram

**Office/Phone:** Product Evaluation Office/ (850) 414-4353 SC 994-4353

**Email address/** karen.byram@dot.state.fl.us

**Userid:**

**Problem statement:**

**Information source:**

**Background data:**



# Florida Department of Transportation

JEB BUSH  
GOVERNOR

605 Suwannee Street  
Tallahassee, FL 32399-0450

JOSÉ ABREU  
SECRETARY

## MEMORANDUM

**DATE:** May 27, 2005

**TO:** Specification Review Distribution List

**FROM:** Duane F. Brautigam, P.E., State Specifications Engineer

**SUBJECT: PROPOSED SPECIFICATION: 9310036 – Metal Accessory Materials for Concrete Pavement and Concrete Structures.**

In accordance with Specification Development Procedures, we are sending you a copy of a proposed specification change to Metal Accessory Materials for Concrete Pavement and Concrete Structures.

This change is a result of the proposed changes to Sections 560, 561 or 971.

Please share this proposal with others within your responsibility. Review comments are due within four weeks and should be sent to Mail Station 75 or to my attention via e-mail at SP965DB or [duane.brautigam@dot.state.fl.us](mailto:duane.brautigam@dot.state.fl.us). Comments received after June 24, 2005 may not be considered. Your input is encouraged.

DFB/jho  
Attachment

COMMENTS:

---

---

---

---

---

---

---

---

Submitted by:

Phone #:

**METAL ACCESSORY MATERIALS FOR CONCRETE PAVEMENT AND  
CONCRETE STRUCTURES.**

**(REV 4-15-05)**

SUBARTICLE 931-3.6 (Page 829) is deleted and the following substituted:

**931-3.6 Materials:** The wire for the welded assembly shall be in accordance with all applicable requirements of ASTM A 82.

*Apply one coat of ~~zinc chromate paint~~ rust preventative compound ~~shall be used as specified in meeting the requirements of 971-5560-2.7.~~ Application ~~Apply the rust preventative shall be~~ in accordance with ~~Section 561~~ the manufacturers recommendations.*