



# Florida Department of Transportation

JEB BUSH  
GOVERNOR

605 Suwannee Street  
Tallahassee, FL 32399-0450

DENVER J. STUTLER, JR.  
SECRETARY

January 18, 2006

Mr. Donald Davis  
Program Operations Engineer  
Federal Highway Administration  
545 John Knox Road, Suite 200  
Tallahassee, Florida 32303

Re: Office of Design, Specifications  
Section 709  
Proposed Specification: 7090201-Materials-Two Reactive Components

Dear Mr. Davis:

We are submitting, for your approval, two copies of a proposed Supplemental Specification for Materials-Two Reactive Components.

This change was proposed by Chester Henson of the State Roadway Design Office to change reference from 971-11 to 971-9.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via Email to SP965DB or [duane.brautigam@dot.state.fl.us](mailto:duane.brautigam@dot.state.fl.us).

If you have any questions relating to this specification change, please call Duane F. Brautigam, State Specifications Engineer at 414-4110.

Sincerely,

Duane F. Brautigam, P.E.  
State Specifications Engineer

DFB/sh

Attachment

cc: General Counsel  
Florida Transportation Builders' Assoc.  
State Construction Engineer

**MATERIALS-TWO REACTIVE COMPONENTS.  
(REV 12-2-05)**

ARTICLE 709-2.1 (of the Supplemental Specifications) is deleted and the following substituted:

**709-2 Materials.**

**709-2.1 Two Reactive Components:** Use only Two Reactive Component materials listed on the Qualified Products List (QPL), and meet the requirements of 971-1 and 971-~~119~~. The Engineer will take random samples of the materials in accordance with the Department's Sampling, Testing and Reporting Guide schedule.

**MATERIALS-TWO REACTIVE COMPONENTS.  
(REV 12-2-05)**

ARTICLE 709-2.1 (of the Supplemental Specifications) is deleted and the following substituted:

**709-2 Materials.**

**709-2.1 Two Reactive Components:** Use only Two Reactive Component materials listed on the Qualified Products List (QPL), and meet the requirements of 971-1 and 971-9. The Engineer will take random samples of the materials in accordance with the Department's Sampling, Testing and Reporting Guide schedule.