

ORIGINATION FORM

THE INFORMATION BELOW IS TO BE PROVIDED BY THE ORIGINATOR

(The person who receives or originates the issue and needs to forward the issue for action.)

Modify Specification _____005
Section/File number

New Section _____.
Section number

Subject: Definitions

Origination date: 9-20-05

Originator: Robert Robertson

Office/Phone: 414-4267

Email address/ robert.robertson @dot.state.fl.us

Userid:

Problem statement: Rabbit trail as a result of changes to Section 001 – Definitions

Information source: Duane Brautigam Specifications Office, Robert Robertson
Structures Office, Mayur Patel Materials Office and Bob Greer
Office of Design

Background data:

Recommended

Usage Note:

Desired Implementation Date: Beginning with the July 2006 letting.



Florida Department of Transportation

JEB BUSH
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

DENVER J. STUTLER, JR.
SECRETARY

MEMORANDUM

DATE: September 28, 2005
TO: Specification Review Distribution List
FROM: Duane F. Brautigam, P.E., State Specifications Engineer
SUBJECT: Proposed Specifications Change: 0050014 –Control of the Work.

In accordance with Specification Development Procedures, we are sending you a copy of a proposed specification change to Control of the Work.

This change is one of a group of changes proposed by Robert Robertson of the State Structures Office to split existing Specifications references to Specialty Engineer into a redefined Specialty Engineer and a newly defined term, Contractor’s Engineer of Record.

Please note, only those references to Specialty Engineer changed to Contractor’s Engineer of Record are being processed for review. Other existing Specialty Engineer references in the Specifications are meant to work with the new definition.

Please share this proposal with others within your responsibility. Review comments are due within four weeks and should be sent to Mail Station 75 or to my attention via e-mail at SP965DB or duane.brautigam@dot.state.fl.us. Comments received after October 26, 2005 may not be considered. Your input is encouraged.

DFB/jho

Attachment

COMMENTS:

Submitted by:

Phone #:

CONTROL OF THE WORK.**(REV 9-20-05)**

SUBARTICLE 5-1.4.4.1 (of the Supplemental Specifications) is deleted and the following substituted:

5-1.4.4.1 Drawings: Furnish two clearly legible photographic or xerographic copies of all shop drawings that are necessary to complete the structure in compliance with the design shown on the plans. Prepare all shop drawings using the same units of measure as those used in the Department's plans. Use sheets no larger than 11 by 17 inches [280 by 432 mm]. Consecutively number each sheet in the submittal series, and indicate the total number in the series (i.e., 1 of 12, 2 of 12, . . . , 12 of 12). Include on each sheet the following items as a minimum requirement: the complete Financial Project Identification Number, Bridge Number(s), drawing title and number, a title block showing the names of the fabricator or producer and the Contractor for which the work is being done, the initials of the person(s) responsible for the drawing, the date on which the drawing was prepared, the location of the item(s) within the project, the Contractor's approval stamp with date and initials, and, when applicable, the signature and embossed seal of the Specialty Engineer *or Contractor's Engineer of Record*. A re-submittal will be requested when any of the required information is not included.

SUBARTICLE 5-1.4.4.2 (Page 29) is deleted and the following substituted:

5-1.4.4.2 Other Documents: Provide four sets of original documents or clearly legible photographic or xerographic copies of documents other than drawings, such as trade literature, catalogue information, calculations, and manuals. Provide sheets no larger than 11 by 17 inches [280 by 432 mm]. Clearly label and number each sheet in the submittal to indicate the total number of sheets in the series (i.e., 1 of 12, 2 of 12, . . . , 12 of 12). Provide an additional three sets of documentation for items involved with precast prestressed components. Provide an additional two sets of documentation for items involving structural steel components.

Prepare all documents using the same units of measure as those used in the Department's plans. Bind and submit all documents with a Table of Contents cover sheet. List on the cover sheet the total number of pages and appendices, and include the complete Financial Project Identification Number, a title referencing the submittal item(s), the name of the firm and person(s) responsible for the preparation of the document, the Contractor's approval stamp with date and initials, and, when applicable, the signature and embossed seal of the Specialty Engineer *or Contractor's Engineer of Record*.

Submit appropriately prepared and checked calculations and manuals that clearly outline the design criteria. Include on the internal sheets the complete Financial Project Identification Number and the initials of the person(s) responsible for preparing and checking the document.

Clearly label trade literature and catalogue information on the front cover with the title, Financial Project Identification Number, date and name of the firm and person(s) responsible for that document.

SUBARTICLE 5-1.4.5.3 (Page 30) is deleted and the following substituted:

5-1.4.5.3 Contractor-Originated Design: Submit shop drawings and applicable calculations to the Engineer of Record for review. Ensure that each sheet of the shop drawings and the cover sheet of the calculations are signed and sealed by the Specialty Engineer *or the Contractor's Engineer of Record*. Transmit the submittal and copies of the transmittal letters in accordance with the requirements of 5-1.4.5.1 through 5-1.4.5.3, as appropriate.

SUBARTICLE 5-1.6 (Page 34) is deleted and the following substituted:

5-1.6 Corrections for Construction Errors: For work that the Contractor constructs incorrectly or does not meet the requirements of the Contract Documents, the Contractor has the prerogative to submit an acceptance proposal to the Engineer for review and disposition. The acceptance proposal shall describe the error or defect and either describe remedial action for its correction or propose a method for its acceptance. In either case, the acceptance proposal shall address structural integrity, aesthetics, maintainability, and the effect on Contract Time. The Department will judge any such proposal for its effect on these criteria and also for its effect on Contract Administration.

When the Engineer judges that a proposal infringes on the structural integrity or maintainability of the structure, ~~engage a Specialty Engineer~~ *the Contractor's Engineer of Record* ~~to~~*will* perform a technical assessment and submit it ~~as described in 5-1.4.5.4~~ *to the Engineer for approval. Do not take any corrective action without the Engineer's approval.*

Carry out all approved corrective construction measures at no expense to the Department.

Notwithstanding any disposition of the compensation aspects of the defective work, the Engineer's decision on the technical merits of a proposal is final.