



## Florida Department of Transportation

**CHARLIE CRIST**  
GOVERNOR

605 Suwannee Street  
Tallahassee, FL 32399-0450

**STEPHANIE KOPELOUSOS**  
INTERIM SECRETARY

February 16, 2007

Mrs. Leslie McCarthy, PhD, P.E.  
Program Operations Engineer  
Federal Highway Administration  
545 John Knox Road, Suite 200  
Tallahassee, Florida 32303

Re: Office of Design, Specifications  
Section 436  
Proposed Specification: 4360200 – Trench Drain-Materials

Dear Mrs. McCarthy:

We are submitting, for your approval, two copies of a proposed Supplemental Specification for Trench Drain-Materials.

This change is to correct a bad reference.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via Email to SP965DB or [duane.brautigam@dot.state.fl.us](mailto:duane.brautigam@dot.state.fl.us).

If you have any questions relating to this specification change, please call Duane F. Brautigam, State Specifications Engineer at 414-4110.

Sincerely,

Duane F. Brautigam, P.E.  
State Specifications Engineer

DFB/sh

Attachment

cc: General Counsel  
Florida Transportation Builders' Assoc.  
State Construction Engineer

**MATERIALS-CHANNELS/PIPE.**  
**(REV 2-16-07)**

SUBARTICLE 436-2.1 (Page 433) is deleted and the following substituted:

**436-2.1 Channels/Pipe:** Meet the following requirements:

Steel Pipe .....	Section 943
Aluminum Pipe .....	Section 945
Polyethylene.....	<i>Section 948 and</i> ASTM D3350
Polymer Concrete.....	ASTM D6783
Fiberglass .....	ASTM D3517

**MATERIALS-CHANNELS/PIPE.**  
**(REV 2-16-07)**

SUBARTICLE 436-2.1 (Page 433) is deleted and the following substituted:

**436-2.1 Channels/Pipe:** Meet the following requirements:

Steel Pipe .....	Section 943
Aluminum Pipe .....	Section 945
Polyethylene.....	Section 948 and ASTM D3350
Polymer Concrete.....	ASTM D6783
Fiberglass .....	ASTM D3517