

# EXPECTED IMPLEMENTATION JULY 2007

D

## 460 STRUCTURAL STEEL AND MICELLANEOUS METALS. (REV 12-6-06) (FA 3-9-07) (7-07)

SUBARTICLE 460-4.3.4.9.6 (of the Supplemental Specifications) is deleted and the following substituted:

**460-4.3.4.9.6 Edge Distance:** Provide minimum as-fabricated distance from the center of a bolt hole to an edge as given in Table 460-4, Edge Distances.

R

Fastener Size, inch	Sheared Edge, Inch	Rolled Edges of Plates or Shapes or Gas Cut Edges Inch
5/8	1 1/8	7/8
3/4	1 1/4	1
7/8	1 1/2	1 1/8
1	1 3/4	1 1/4

SUBARTICLE 460-9.2 (of the Supplemental Specifications) is deleted and the following is substituted:

A

### 460-9.2 Payment Items: Payment will be made under:

- Item No. 460- 1- Structural Steel – Rehab – per pound.
- Item No. 460- 2- Structural Steel - New/Widening – lump sum.
- Item No. 460- 6- Ladders & Platforms – lump sum.
- Item No. 460- 13- Structural Steel Rehab – Sandwich Plate System - per square yard.
- Item No. 460- 70- Aluminum Bullet Railings – per foot.
- Item No. 460- 71- Metal Traffic Railing – per foot.
- Item No. 460- 81- Rivet or High-Strength Bolt Replacement – each.
- Item No. 460- 95- Structural Steel Repair – per pound.
- Item No. 460- 98- Pipe Hanger – each.
- Item No. 460-112- Anchor Bolt Replacement – each.

F

T