



Florida Department of Transportation

CHARLIE CRIST
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

STEPHANIE KOPELOUSOS
SECRETARY

June 25, 2007

Dr. Leslie McCarthy, PhD, P.E.
Program Operations Engineer
Federal Highway Administration
545 John Knox Road, Suite 200
Tallahassee, Florida 32303

Re: Office of Design, Specifications
Section 415
Proposed Specification: 4150062-Welded Deformed Steel Wire Fabric Reinforcement-
Design

Dear Dr. McCarthy:

We are submitting, for your approval, two copies of a proposed Supplemental Specification for Welded Deformed Steel Wire Fabric Reinforcement-Design.

This change was proposed by Andre Pavlov of the State Structures Office to correct references to the old AASHTO Bridge Specifications.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via Email to SP965DB or duane.brautigam@dot.state.fl.us.

If you have any questions relating to this specification change, please call Duane F. Brautigam, State Specifications Engineer at 414-4110.

Sincerely,

Duane F. Brautigam, P.E.
State Specifications Engineer

DFB/sh

Attachment

cc: General Counsel
Florida Transportation Builders' Assoc.
State Construction Engineer

**WELDED DEFORMED STEEL WIRE FABRIC REINFORCEMENT-DESIGN.
(REV 6-25-07)**

SUBARTICLE 415-6.2 (Page 412) is deleted and the following substituted:

415-6.2 Design: When welded deformed steel wire fabric reinforcement is substituted for deformed bar reinforcement, ensure that the development length, splices, shear reinforcement, and distribution meet the requirements of the AASHTO ~~Standard Specifications for Highway Bridges~~ *LRFD Bridge Design Specifications*.

**WELDED DEFORMED STEEL WIRE FABRIC REINFORCEMENT-DESIGN.
(REV 6-25-07)**

SUBARTICLE 415-6.2 (Page 412) is deleted and the following substituted:

415-6.2 Design: When welded deformed steel wire fabric reinforcement is substituted for deformed bar reinforcement, ensure that the development length, splices, shear reinforcement, and distribution meet the requirements of the AASHTO LRFD Bridge Design Specifications.