

SPECIFICATION / WORKBOOK CHANGES
CHGTAB DATED February 22, 2008
EFFECTIVE 7-08 LETTING

SPECIAL PROVISIONS							
REV DATE	FA DATE	LETTING DATE	WORKBOOK CHANGE			USAGE NOTE CHANGED	REMARKS
			ADDED	CHANGED	DELETED		
2-7-08	2-13-08	7-08	SP0020400				New SS. To provide a website for handling questions and answers prior to bidding. Usage note: All Jobs, (add contact person and phone no.)
4-19-99	n/a	1-02			SP0020400		Spec is deleted and replace with new one
1-3-03	5-16-03	7-08		SP0071600			TYPO change in last paragraph, changing Wage Rate Coordinator's number from 414-4251 to 414-4492. Usage note: All Federal Aid Jobs
2-14-94	4-14-05	7-00			SP0080101		This specification is obsolete.
9-10-07	2-15-08	7-08	SP1100601				New SP. To meet the requirements of SAFETEA-LU legislation to define the Contractor's role in making the debris from bridge demolition available to local, state, and federal agencies for their beneficial use. Usage note: Use when requested by proper authority
3-18-94	6-21-99	7-00			SP1100601		To delete a compensation spec
1-3-94	n/a	7-00			SP1800000		Spec is being deleted because it is an obsolete file.
10-15-07	n/a	7-08	SP3460001				New SP. To add Volume II information of the Materials Manual and to move the links from Specification Section 346 to Section 105. Usage note: All Jobs

SPECIAL PROVISIONS

REV DATE	FA DATE	LETTING DATE	WORKBOOK CHANGE			USAGE NOTE CHANGED	REMARKS
			ADDED	CHANGED	DELETED		
10-15-07	n/a	7-08	SP5480001				New SP. To add Materials Manual 8.2 Volume II to Section 105. Usage note: All Jobs

SUPPLEMENTAL SPECIFICATIONS

REV DATE	FA DATE	LETTING DATE	WORKBOOK CHANGE			USAGE NOTE CHANGED	REMARKS
			ADDED	CHANGED	DELETED		
2-7-08	2-19-08	7-08	SS0020100				New SS. Merged in text from SS0020082 and dates changed. To avoid any confusion as to how late bids are handled and is clarified by this change. Usage note: All Jobs
6-22-07	7-3-07	7-07			SS0020100		Spec deleted and replace with new SS
5-3-07	11-20-07	7-08	SS0040321				New SS. Merged in text from SS0040304 and dates changed. To delete the requirement to process a Supplemental Agreement based on the passing of House Bill 1681 (2005). Usage note: All Jobs
4-17-07	7-3-07	1-08			SS0040321		Spec deleted and replaced with new SS
12-7-07	12-27-07	7-08	SS0060000				New SS. To group related information needed by the Contractor to ensure compliance with Material Acceptance Program requirements. Usage note: All Jobs
5-21-07	7-19-07	1-08			SS0060000		Spec deleted and replaced with new SS
7-19-07	7-23-07	7-08		SS0070104			Merged in text from SS0070107 and dates changed. Usage note: All Jobs
5-31-07	10-17-07	7-08	SS0080401				New SS. Merged in text from SS0081002 and dates changed. To revise the liquidated damages rates on FDOT projects, as required by Florida Statutes 337.18. Usage note: All Jobs
12-7-06	2-9-07	7-07			SS0080401		Spec deleted and replaced with new SS
10-16-07	12-27-07	7-08	SS1050000				New SS. To provide website addresses for certain Sections of the Material Manual. Usage note: All Jobs
5-22-07	7-23-07	1-08			SS1050000		Spec deleted and replaced with new SS

SUPPLEMENTAL SPECIFICATIONS

REV DATE	FA DATE	LETTING DATE	WORKBOOK CHANGE			USAGE NOTE CHANGED	REMARKS
			ADDED	CHANGED	DELETED		
1-23-08	1-24-08	7-08	SS1210300				New SS. To correct a bad reference. Usage note: All Jobs
10-16-07	10-30-07	7-08	SS1250000				New SS. Merged in text from SS1250816 and dates changed . To substitute the word “above” for the word “outside” in defining the placement limits of 12 inch thick, compacted material, in relation to the soil envelope. Also, merged in text from SS1251405 and dates changed . To correct a reference to an old Article that is no longer in existence. Usage note: All Jobs
2-12-07	3-9-07	7-07			SS1250000		Spec deleted and replaced with new SS
3-9-07	3-19-07	7-08		SS1600000			TYPO change in Article 160-1, in the last sentence, reference to 6-8 is changed to 105-3. Usage note: 160 Items
3-9-07	3-14-07	7-08		SS2000000			TYPO change in Article 200-1, reference to 6-8 is changed to 105-3. Usage note: All Jobs
10-9-07	12-27-07	7-08	SS2850000				New SS. To delete specific requirements pertaining to base thickness. Usage note: All Jobs
2-23-07	3-15-07	7-08		SS3340000			TYPO change in Letting date from 7-07 to 7-08; Heading to match that of Section Heading and in Article 334-1, 2 nd paragraph last line, reference to 6-8 is changed to 105-3. Usage note: All Jobs
6-25-07	6-28-07	7-08		SS3460000			TYPO change in letting date from 1-08 to 7-08 and in Subarticle 346-3.2 2 nd paragraph last sentence, reference to 6-8 is changed to 105-6. Subarticle 346-6.1 reference to 6-8 is changed to 105-3. Subarticle 346-9.1

SUPPLEMENTAL SPECIFICATIONS

REV DATE	FA DATE	LETTING DATE	WORKBOOK CHANGE			USAGE NOTE CHANGED	REMARKS
			ADDED	CHANGED	DELETED		
							reference to 6-9 is changed to 105-6 and Subarticle 346-9.2.1 first paragraph, last sentence reference to 6-9 is changed to 105-6.
12-6-07	12-13-07	7-08	SS3501401				New SS. Merged in text from SS3501600 and dates were changed . To delete the exception for Type III Cement and to update ASTM testing reference and psi requirement for flexural strength. Usage note: All Jobs
1-26-07	1-31-07	7-07			SS3501401		Spec deleted and replaced with new SS
12-11-07	12-27-07	7-08	SS3531100				New SS. To update the Method of Measurement criteria. Usage note: All Jobs
2-8-08	2-19-08	7-08	SS3550400				New SS. Merged in text from SS3550043 and dates changed . To add a Threshold Level for shattered Slab in Table 355-1, inadvertently left out of the original Specification. Usage note: All Jobs
11-20-06	1-31-07	7-07			SS3550400		Spec deleted and replaced with new SS
12-6-07	2-4-08	7-08	SS4000100				New SS. Merged in text from SS4000700 and changed REV date . To specify that incidental precast products can only be obtained from a plant currently listed with the Producers with Accepted QC Programs for Incidental Precast Products. Usage note: All Jobs
12-6-07	1-7-08	7-08			SS4000700		Spec deleted and replaced with new SS
12-6-07	1-7-08	7-08	SS4000700				New SS. Merged in text from SS4001704 and dates were changed . To update ASTM reference for testing cylinders. Also, there is

SUPPLEMENTAL SPECIFICATIONS

REV DATE	FA DATE	LETTING DATE	WORKBOOK CHANGE			USAGE NOTE CHANGED	REMARKS
			ADDED	CHANGED	DELETED		
							a change in Subarticle 400-7.5 , first sentence, reference to 6-8 is changed to 105-3. Usage note: All Jobs
4-13-07	7-28-07	1-08			SS4000700		Spec deleted and replaced with new SS
12-7-07	1-10-08	7-08	SS4070000				New SS. To notify Contractors that three sided precast culverts are to be obtained from producers with accepted QC Programs, and to notify producers that the requirements of 105-3 shall be met. Usage note: Concrete Box Culverts
6-22-06	9-12-06	1-07			SS4070000		Spec deleted and replaced with new SS
12-7-07	1-7-08	7-08	SS4100000				New SS. To specify that precast concrete box culverts be obtained from producers with accepted QC Programs and change the permitted joint on the outside face from 1 inch to 1 ½ inches has been included. Usage note: Concrete Box Culverts
5-22-06	9-12-06	1-07			SS4100000		Spec deleted and replaced with new SS
12-7-07	12-18-07	7-08	SS4300000				New SS. To specify that pipe culverts be obtained from producers with accepted Quality Control Programs, and that producers meet the requirements of 105-3 and to provide for consolidating the pay items for cross drain and storm drain. Usage note All Jobs
5-12-06	6-1-06	1-07			SS4300000		Spec deleted and replaced with new SS
12-7-07	12-18-07	7-08	SS4490100				New SS. Merged in text from SS4490600 and no dates changed . To specify that precast concrete drainage products be obtained from producers with accepted

SUPPLEMENTAL SPECIFICATIONS

REV DATE	FA DATE	LETTING DATE	WORKBOOK CHANGE			USAGE NOTE CHANGED	REMARKS
			ADDED	CHANGED	DELETED		
							QCP, and that producers of the precast drainage products meet the requirements of 105-3. Usage note: All Jobs
3-9-06	6-1-06	1-07			SS4490600		Spec is deleted and replaced with new SS
12-7-07	2-8-08	7-08	SS4500000				New SS. To specify that products be obtained from a producer with an approved QC Program and to update the requirements for pick up and dunnage points is included. Usage note: All Jobs
6-25-07	6-28-07	1-08			SS4500401		Spec deleted and included into 450 re-write
3-31-08	4-1-08	7-08	SS4550000				New SS. Added by Mandatory #1 for July 2008 letting. To reflect current LRFD terminology, clarify language, include cost of pile-cut-off, revise drilled shaft section for better excavation side wall support and resolve minor conflicts. Usage note: All Jobs
10-2-07	10-17-07	7-08			SS4550400		Spec is deleted and replaced with new SS
10-2-07	10-17-07	7-08	SS4550400				New SS. Merged in text from SS4551604 and dates were changed . To correct erroneous information in table. Usage note: All Jobs
2-5-07	3-28-07	1-08			SS4550400		Spec deleted and replaced with new SS
12-7-07	1-7-08	7-08	SS4600000				New SS. To specify that products be obtained from a producer with an accepted QC Program, and that producers meet the requirements of 105-3. Usage note: All Jobs
12-6-06	3-9-07	7-07			SS4600000		Spec deleted and replaced with new SS
10-31-07	2-14-08	7-08	SS4620000				New SS. Merged in text from SS4620425 and dates changed . To remove the

SUPPLEMENTAL SPECIFICATIONS

REV DATE	FA DATE	LETTING DATE	WORKBOOK CHANGE			USAGE NOTE CHANGED	REMARKS
			ADDED	CHANGED	DELETED		
							requirements for a shear transfer mechanism and delete the testing and certification requirements. Usage note: 462-2
6-8-06	7-31-06	1-07			SS4620000		Spec deleted and replaced with new SS
10-30-07	11-8-07	7-08	SS4700000				New SS. To eliminate the use of untreated timber for permanent structures, and to specify the type of hardware to be used in the construction of timber structures to reduce corrosiveness. Usage note: 470-1
10-24-07	2-11-08	7-08	SS5210003				New SS. To specify that incidental precast products can only be obtained from a plant currently listed with the Producers with Accepted QC Programs for Incidental Precast Products. Usage note: All Jobs
10-5-07	1-24-08	7-08	SS5340100				New SS. To specify that incidental precast products can only be obtained from a plant currently listed with the Producers with Accepted Quality Control Program. Usage note: All Jobs
7-26-06	8-3-06	1-07			SS5340400		Spec is deleted and text is merged in with SS5340100
10-9-07	1-7-08	7-08	SS5480000				New SS. Merged in text from SS5480700 and dates were changed. To provide a verification and resolution process for organic testing. Also, a change to a reference in Subarticle 548-6.5, from 6-8 to 105-3. Usage note: All Jobs
3-15-07	3-15-07	7-07			SS5480000		Spec deleted and replaced with new SS
7-9-07	9-20-07	7-08	SS5630000				New SS. Merged in text from SS5630400 and dates were changed. To rewrite this

SUPPLEMENTAL SPECIFICATIONS

REV DATE	FA DATE	LETTING DATE	WORKBOOK CHANGE			USAGE NOTE CHANGED	REMARKS
			ADDED	CHANGED	DELETED		
							Section due to the limited number of manufacturer's that can apply for QPL status as the specification is currently written and to provide clarification for measurement of textured surface finishes and payment by plan quantity. Usage note: 563 Items
8-13-07	10-3-07	7-08	SS6340203				New SS. Minor corrections to references in Subarticles 634-2.3 and 634-3.3. Usage note: All Jobs
11-9-07	1-7-08	7-08	SS6410100				New SS. To specify that prestressed concrete poles be obtained from producers with accepted QC Programs. Usage note: All Jobs
1-17-07	3-9-07	7-07			SS6410100		Spec deleted and replaced with new SS
11-9-07	12-19-07	7-08	SS7000000				New SS. Merged in text from SS7000702 and dates were changed. To specify that precast concrete footings be obtained from a plant that is listed on Producers with Accepted Quality Control Program. Usage note: All Jobs
2-13-07	2-28-07	7-07			SS7000000		Spec deleted and replaced with new SS
9-24-07	10-3-07	7-08	SS7110900				New SS. To require submittal of a certification of quantities for payment of the stripes and markings. Usage note: All Jobs
1-15-08	1-25-08	7-08	SS7130100				New SS. Merged in text from SS7130900 and dates remained the same. To require submittal of a certification of quantities for payment of the stripes and markings. Usage note: All Jobs

SUPPLEMENTAL SPECIFICATIONS

REV DATE	FA DATE	LETTING DATE	WORKBOOK CHANGE			USAGE NOTE CHANGED	REMARKS
			ADDED	CHANGED	DELETED		
10-13-07	12-19-07	7-08	SS7150000				New SS. Merged in text from SS7150601 and dates were changed. To specify that precast foundations be obtained from a plant that is on the list of producers with Accepted Quality Control Programs. Usage note: All Jobs
2-14-07	2-15-07	7-07			SS7150000		Spec deleted and replaced with new SS
2-12-08	2-19-08	7-08	SS7830000				New SS. Merged in text from SS7830202 and dates changed. To clarify the provision of and payment for locate system electronic equipment. Usage note: 783 Items
11-15-06	1-29-07	7-07			SS7830000		Spec deleted and replaced with new SS
11-9-07	1-10-08	7-08	SS7850000				New SS. Merged in text from SS7850531 and dates were changed. To specify that precast products to be obtained from plants listed on Producers with Accepted QC Programs. Usage note: 785-1
12-7-06	1-28-07	7-07			SS7850000		Spec deleted and replaced with new SS
12-26-07	1-7-08	7-08	SS9210000				New SS. To update the specification with new information and requirements from the recently revised AASHTO M-85 test method allowing cement producers to use limestone in cement. Usage note: All Jobs
2-5-07	3-14-07	7-08		SS9290000			TYPO change in Subarticle 929-1.1, the second sentence, changed reference from 6-8 to 105-3 and in Subarticle 929-1.2, changed reference from 6-9 to 105-6.
10-8-07	12-10-07	7-08	SS9320000				New SS. Merged in text from SS9320200 and dates were changed. To update

SUPPLEMENTAL SPECIFICATIONS

REV DATE	FA DATE	LETTING DATE	WORKBOOK CHANGE			USAGE NOTE CHANGED	REMARKS
			ADDED	CHANGED	DELETED		
							structure pad fabrication, tolerance testing and acceptance requirements. Usage note: All Jobs
4-19-07	6-28-07	1-08			SS9320000		Spec is deleted and replaced with new SS
11-7-07	12-18-07	7-08	SS9420100				New SS. To correct references to ASTM. Usage note: All Jobs
1-18-08	2-11-08	7-08	SS9430100				New SS. To eliminate incorrect references to Chapters of the Materials Manual. Usage note: All Jobs
4-24-07	7-16-07	1-08			SS9430100		Spec is deleted and replaced with new SS
1-18-08	2-11-08	7-08	SS9450000				New SS. To eliminate incorrect references to Chapters of the Materials Manual. Usage note: All Jobs
4-9-07	5-31-07	1-08			SS9450000		Spec is deleted and replaced with new SS
1-18-08	2-11-08	7-08	SS9480107				New SS. To eliminate incorrect references to Chapters of the Materials Manual. Usage note: All Jobs
1-25-06	6-1-06	1-07			SS9480107		Spec is deleted and replaced with new SS
12-27-07	4-1-08	7-08	SS9620000				New SS. Merged in text from SS9620102 and changed dates . Added by Mandatory #1 for July 2008 letting. To Reflect changes to ASTM impact test requirements and add requirements for steel pipe piles. Usage note: All Jobs
12-21-06	3-12-07	7-08			SS9620000		Spec is deleted and replaced with new SS
1-30-08	1-31-08	7-08	SS9930000				New SS. Merged in text from SS9930200 and dates were changed . The changes will clarify acceptance of manufacturer's products. Usage note: All Jobs
7-18-07	7-23-07	1-08			SS9930000		Spec is deleted and replaced with new SS

SUPPLEMENTAL SPECIFICATIONS

REV DATE	FA DATE	LETTING DATE	WORKBOOK CHANGE			USAGE NOTE CHANGED	REMARKS
			ADDED	CHANGED	DELETED		
1-15-08	1-25-08	7-08	SS9940000				New SS. To update the ASTM D4956 reference and various requirements within the specifications. Usage note: All Job
2-16-07	2-28-07	7-07			SS9940304		Spec deleted, incorporated into new re-write