



Florida Department of Transportation

CHARLIE CRIST
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

STEPHANIE KOPELOUSOS
SECRETARY

October 6, 2008

Dr. Leslie McCarthy, PhD, P.E.
Program Operations Engineer
Federal Highway Administration
545 John Knox Road, Suite 200
Tallahassee, Florida 32303

Re: Office of Design, Specifications
Section 425
Proposed Specification: 4250100 - Inlets, Manholes, and Junction Boxes-Description

Dear Dr. McCarthy:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

This change was proposed by Tom Malerk of the State Materials Office to reclassify Class I nonstructural concrete to Class NS to eliminate confusion between Class I Nonstructural and Class I Structural Concrete.

Please review and transmit your comments, if any, within four weeks. Comments should be sent via Email to ST986RP or rudy.powell@dot.state.fl.us.

If you have any questions relating to this specification change, please call Rudy Powell, State Specifications Engineer at 414-4110.

Sincerely,

Rudy Powell, Jr., P.E.
State Specifications Engineer

RP/sh

Attachment

cc: Gregory Jones, Chief Civil Litigation
Florida Transportation Builders' Assoc.
State Construction Engineer

INLETS, MANHOLES, AND JUNCTION BOXES – CONCRETE.**(REV 5-5-08)**

ARTICLE 425-1 (of the Supplemental Specifications) is deleted and the following substituted:

425-1 Description.

Construct inlets, manholes, and junction boxes from reinforced concrete as shown in the Design Standards and the plans. Brick masonry may be used if the structure is circular and constructed in place. Furnish and install the necessary metal frames and gratings. Construct yard drains from ~~non-structural concrete as per Index 282~~ *meeting the requirements of Section 347*. Adjust structures shown in the plans to be adjusted or requiring adjustment for the satisfactory completion of the work.

INLETS, MANHOLES, AND JUNCTION BOXES – CONCRETE.**(REV 5-5-08)**

ARTICLE 425-1 (of the Supplemental Specifications) is deleted and the following substituted:

425-1 Description.

Construct inlets, manholes, and junction boxes from reinforced concrete as shown in the Design Standards and the plans. Brick masonry may be used if the structure is circular and constructed in place. Furnish and install the necessary metal frames and gratings. Construct yard drains from concrete meeting the requirements of Section 347. Adjust structures shown in the plans to be adjusted or requiring adjustment for the satisfactory completion of the work.