



## Florida Department of Transportation

**CHARLIE CRIST**  
GOVERNOR

605 Suwannee Street  
Tallahassee, FL 32399-0450

**STEPHANIE KOPELOUSOS**  
SECRETARY

June 3, 2009

Monica Gourdine  
Program Operations Engineer  
Federal Highway Administration  
545 John Knox Road, Suite 200  
Tallahassee, Florida 32303

Re: Office of Design, Specifications  
Section 120  
Proposed Specification: 1201000

Dear Ms. Gourdine:

We are submitting, for your approval, a copy of the above referenced Supplemental Specification.

This change adds the table of information in Subarticle 120-10.3.1 that was inadvertently deleted during the printing of the 2010 Standard Specifications Book.

Please review and transmit your comments, if any, within four weeks. Comments should be sent via Email to ST986RP or rudy.powell@dot.state.fl.us.

If you have any questions relating to this specification change, please call Rudy Powell, State Specifications Engineer at 414-4110.

Sincerely,

Rudy Powell, Jr., P.E.  
State Specifications Engineer

RP/dr

Attachment

cc: Gregory Jones, Chief Civil Litigation  
Florida Transportation Builders' Assoc.  
State Construction Engineer

**ACCEPTANCE PROGRAM – GENERAL REQUIREMENTS.****(REV 6-2-09)**

SUBRTICLE 120-10.3.1 (Page 173) is deleted and the following substituted:

**120-10.3.1 Frequency:** Conduct QC sampling and testing at a minimum frequency listed in the table below. The Engineer will perform Verification sampling and tests at a minimum frequency listed in the table below.

Test Name	Quality Control	Verification	Verification of Shoulder-Only Areas, Bike/Shared Use Paths, and Sidewalks
Standard Proctor Maximum Density	One per soil type	One per Soil Type	One per soil type
Density	One per LOT	One per four LOTS and for wet conditions, the first lift not affected by water	One per two LOTS
Soil Classification	One per Standard Proctor Maximum Density	One per Standard Proctor Maximum Density	One per Standard Proctor Maximum Density