

699 INTERNALLY ILLUMINATED SIGNS
(REV 11-15-10) (FA 1-4-11) (7-11)

ARTICLE 699-3 (Page 776) is deleted and the following substituted:

699-3 Submittal Requirements.

699-3.1 General: Free-swinging, internally illuminated signs and clamp-on cantilever arms mounted on the upright poles of mast arm assemblies or monotube signal structures may be accepted either by certification or by shop drawing submittal and approval as stipulated in this Section.

699-3.2 Acceptance of signs by Certification: Meet all of the following requirements:

1. Article 699-2,
2. Are not more than 18.0 sq. ft. in area, and
3. Weigh no more than 8 lbs. per sq. ft.

699-3.3 Acceptance of signs by Shop Drawing Approval: Submit Shop Drawings in accordance with Section 5 for internally illuminated street name signs not meeting all of the requirements of 699-3.2. Signs submitted for acceptance by shop drawing approval must be manufactured by a vendor with an approved internally illuminated sign listed on the APL.

699-3.4 Acceptance of Clamp-On Cantilever Arms: For Cantilever arms supporting signs meeting the requirements of 699-3.2, certify to the Engineer that the arm meets the criteria in this Section. For Cantilever Arms supporting signs which do not meet the requirements of 699-3.2, submit shop drawings and design calculations for the arm design in accordance with Section 5.