



Florida Department of Transportation

RICK SCOTT
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

ANANTH PRASAD, P.E.
SECRETARY

July 19, 2011

Monica Gourdine
Program Operations Engineer
Federal Highway Administration
545 John Knox Road, Suite 200
Tallahassee, Florida 32303

Re: Office of Design, Specifications
Section **339**
Proposed Specification: **3390700 Miscellaneous Asphalt Pavement – Method of Measurement.**

Dear Ms. Gourdine:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

These changes were proposed by Greg Sholar of the State Materials Office to correct a conflict with a specification reference to Section 320 due to a rewrite of that section

Please review and transmit your comments, if any, within two weeks. Comments should be sent via Email to SP965RP or rudy.powell@dot.state.fl.us.

If you have any questions relating to this specification change, please call Rudy Powell, State Specifications Engineer at 414-4280.

Sincerely,

Rudy Powell, Jr., P.E.
State Specifications Engineer

RP/cah
Attachment

cc: Gregory Jones, Chief Civil Litigation
Florida Transportation Builders' Assoc.
State Construction Engineer

**MISCELLANEOUS ASPHALT PAVEMENT – METHOD OF MEASUREMENT.
(REV 5-19-11)**

ARTICLE 339-7 (Page 313) is deleted and the following substituted:

339-7 Method of Measurement.

The quantity to be paid for will be the weight, in tons, determined by an electronic weighing system as described in 320-~~23~~.2. The pay quantity will be based on the average spread rate of the area shown on the plans or authorized by the Engineer or dimensions for the project, limited to a maximum of 105% of the plan thickness quantity. For calculation, a weight of 100 lbs/yd² per inch thickness of asphalt will be used.

Prepare a Certification of Quantities, using the Department's current approved form, for the certified miscellaneous asphalt pavement pay item. Submit this certification to the Engineer no later than Twelve O'clock noon Monday after the estimate cut-off or as directed by the Engineer, based on the quantity of asphalt produced and accepted on the Contract. The certification must include the Contract Number, FPID Number, Certification Number, Certification Date, period represented by Certification and the tons produced for each asphalt pay item.

**MISCELLANEOUS ASPHALT PAVEMENT – METHOD OF MEASUREMENT.
(REV 5-19-11)**

ARTICLE 339-7 (Page 313) is deleted and the following substituted:

339-7 Method of Measurement.

The quantity to be paid for will be the weight, in tons, determined by an electronic weighing system as described in 320-3.2. The pay quantity will be based on the average spread rate of the area shown on the plans or authorized by the Engineer or dimensions for the project, limited to a maximum of 105% of the plan thickness quantity. For calculation, a weight of 100 lbs/yd² per inch thickness of asphalt will be used.

Prepare a Certification of Quantities, using the Department's current approved form, for the certified miscellaneous asphalt pavement pay item. Submit this certification to the Engineer no later than Twelve O'clock noon Monday after the estimate cut-off or as directed by the Engineer, based on the quantity of asphalt produced and accepted on the Contract. The certification must include the Contract Number, FPID Number, Certification Number, Certification Date, period represented by Certification and the tons produced for each asphalt pay item.