



Florida Department of Transportation

RICK SCOTT
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

ANANTH PRASAD, P.E.
SECRETARY

January 23, 2013

Monica Gourdine
Program Operations Engineer
Federal Highway Administration
545 John Knox Road, Suite 200
Tallahassee, Florida 32303

Re: Office of Design, Specifications
Section **915**
Proposed Specification: **9150101 Cemented Coquina Shell Material**

Dear Ms. Gourdine:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

These changes are necessary to change an incorrect reference in the specification.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via email to SP965TT or trey.tillander@dot.state.fl.us.

If you have any questions relating to this specification change, please call me at 414-4140.

Sincerely,

Signature on File

V. Y. "Trey" Tillander, III, P.E.
State Specifications Engineer

TT/ft

Attachment

cc: Florida Transportation Builders' Assoc.
State Construction Engineer

CEMENTED COQUINA SHELL MATERIAL.
(REV 1-22-13)

ARTICLE 915-1 (Page 984) is deleted and the following substituted:

915-1 Composition.

Cemented coquina shell materials to be used as cemented coquina base or stabilized base, shall be defined as naturally occurring deposits formed essentially of broken mollusk shell, corals and the skeletal remains of other marine invertebrates, which are presently found as “dry land” deposits and which have been cemented together by carbonates or other natural cementing agents.

Approval of mineral aggregate sources shall be in accordance with ~~6-3.36-2.3~~.

CEMENTED COQUINA SHELL MATERIAL.**(REV 1-22-13)**

ARTICLE 915-1 (Page 984) is deleted and the following substituted:

915-1 Composition.

Cemented coquina shell materials to be used as cemented coquina base or stabilized base, shall be defined as naturally occurring deposits formed essentially of broken mollusk shell, corals and the skeletal remains of other marine invertebrates, which are presently found as “dry land” deposits and which have been cemented together by carbonates or other natural cementing agents.

Approval of mineral aggregate sources shall be in accordance with 6-2.3.