



Florida Department of Transportation

RICK SCOTT
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

ANANTH PRASAD, P.E.
SECRETARY

April 7, 2014

Chad Thompson
Programs Operations Engineer
Federal Highway Administration
545 John Knox Road, Suite 200
Tallahassee, Florida 32303

Re: State Specifications and Estimates Office
Section 400
Proposed Specification: **4001101 Concrete Structures.**

Dear Mr. Thompson:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

These changes were proposed by Dan Hurtado of the State Construction Office to update the language. The ASTM designation replaces antiquated terminology.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via email to SP965DS or daniel.scheer@dot.state.fl.us.

If you have any questions relating to this specification change, please call me at 414-4130.

Sincerely,

Signature on file

Daniel Scheer, P.E.
State Specifications Engineer

DS/dt
Attachment
cc: Florida Transportation Builders' Assoc.
State Construction Engineer

CONCRETE STRUCTURES.

(REV 2-~~2021~~25-14)

SUBARTICLE 400-11.1 is deleted and the following substituted:

400-11.1 Separation of Surfaces: In general, separate all contact surfaces between superstructure and substructure or end walls and between adjacent superstructure sections by a layer of ~~55 lb#30 roofing~~ASTM D2246380 Class S, Type III organic felt.

CONCRETE STRUCTURES.
(REV 2-25-14)

SUBARTICLE 400-11.1 is deleted and the following substituted:

400-11.1 Separation of Surfaces: In general, separate all contact surfaces between superstructure and substructure or end walls and between adjacent superstructure sections by a layer of ASTM D6380 Class S, Type III organic felt.