



## *Florida Department of Transportation*

RICK SCOTT  
GOVERNOR

605 Suwannee Street  
Tallahassee, FL 32399-0450

MIKE DEW  
SECRETARY

August 9, 2017

Khoa Nguyen  
Director, Office of Technical Services  
Federal Highway Administration  
3500 Financial Plaza, Suite 400  
Tallahassee, Florida 32312

Re: State Specifications Office  
Section: **110**  
Proposed Specification: **1100302 Clearing and Grubbing.**

Dear Mr. Nguyen:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

These are administrative changes to reflect the correct reference for tree protection.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via email to [dan.hurtado@dot.state.fl.us](mailto:dan.hurtado@dot.state.fl.us).

If you have any questions relating to this specification change, please call me at 414-4130.

Sincerely,

Signature on File

Dan Hurtado, P.E.  
State Specifications Engineer

DH/dt  
Attachment  
cc: Florida Transportation Builders' Assoc.  
State Construction Engineer

**CLEARING AND GRUBBING.**  
**(REV 8-9-17)**

SUBARTICLE 110-3.2 is deleted and the following substituted:

**110-3.2 Trees to Remain:** Protect trees as shown in the Plans or directed by the Engineer.

At the driplines of areas designated as trees to remain, construct a tree protection barrier in accordance with Design Standards, Index No. 5442.

When pruning cuts or root pruning to existing trees is shown in the Plans, work is to be supervised on site by an International Society of Arboriculture (ISA) Certified Arborist performed in accordance with ANSI A300.

SUBARTICLE 110-3.3 is deleted and the following substituted:

**110-3.3 Protection of Plant Preservation Areas:** Areas to remain natural may be designated in the Plans. Protect these areas with a tree protection barrier in accordance with Design Standards, Index No. 5442. No clearing and grubbing, staging, storage, or dumping is allowed in these areas. Do not bring equipment into these areas.

**CLEARING AND GRUBBING.**  
**(REV 8-9-17)**

SUBARTICLE 110-3.2 is deleted and the following substituted:

**110-3.2 Trees to Remain:** Protect trees as shown in the Plans or directed by the Engineer.

At the driplines of areas designated as trees to remain, construct a tree protection barrier in accordance with Design Standards, Index No. 542.

When pruning cuts or root pruning to existing trees is shown in the Plans, work is to be supervised on site by an International Society of Arboriculture (ISA) Certified Arborist performed in accordance with ANSI A300.

SUBARTICLE 110-3.3 is deleted and the following substituted:

**110-3.3 Protection of Plant Preservation Areas:** Areas to remain natural may be designated in the Plans. Protect these areas with a tree protection barrier in accordance with Design Standards, Index No. 542. No clearing and grubbing, staging, storage, or dumping is allowed in these areas. Do not bring equipment into these areas.