



Florida Department of Transportation

RICK SCOTT
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

MIKE DEW
SECRETARY

November 17, 2017

Khoa Nguyen
Director, Office of Technical Services
Federal Highway Administration
3500 Financial Plaza, Suite 400
Tallahassee, Florida 32312

Re: State Specifications Office
Section: **682**
Proposed Specification: **6820102 Video Equipment.**

Dear Mr. Nguyen:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

The changes are proposed by Andre Pavlov of the State Structures Design Office to update the language.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via email to dan.hurtado@dot.state.fl.us.

If you have any questions relating to this specification change, please call me at 414-4130.

Sincerely,

Signature on file

Dan Hurtado, P.E.
State Specifications Engineer

DH/dt

Attachment

cc: Florida Transportation Builders' Assoc.
State Construction Engineer

VIDEO EQUIPMENT.**(REV ~~9-14-17~~ 11-16-17)**

SUBARTICLE 682-1.2.8 is deleted and the following substituted:

682-1.2.8 Environmental Specifications: CCTV cameras must perform all required functions during and after being subjected to the environmental testing procedures described in NEMA TS2, Sections 2.2.7, 2.2.8, and 2.2.9.

All CCTV cameras, mounting hardware, and any other camera-related material that is exposed to the environment must ~~withstand~~ be designed for 150~~170~~ mph wind speeds and meet the requirements of the Department's Structures Manual, ~~Volume 3~~.

VIDEO EQUIPMENT.

(REV 11-16-17)

SUBARTICLE 682-1.2.8 is deleted and the following substituted:

682-1.2.8 Environmental Specifications: CCTV cameras must perform all required functions during and after being subjected to the environmental testing procedures described in NEMA TS2, Sections 2.2.7, 2.2.8, and 2.2.9.

All CCTV cameras, mounting hardware, and any other camera-related material that is exposed to the environment must be designed for 150 mph wind speeds and meet the requirements of the Department's Structures Manual.