



Florida Department of Transportation

RON DESANTIS
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

JARED W. PERDUE, P.E.
SECRETARY

August 28, 2025

Daniel Holt, PE, PTOE
Director, Project Delivery
Director, Technical Services
FHWA
400 West Washington Street, Suite 4200
Orlando, FL 32801

Re: State Specifications Office
Section: 330
Proposed Specification: **3300706 Hot Mix Asphalt - General Construction Requirements**

Dear Mr. Holt:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

The changes are proposed by Richard Hewitt to remove requirement of a traffic roller to achieve adequate compaction.

Please review and transmit your comments, if any, within two weeks (10 business days). Comments should be sent via email daniel.strickland@dot.state.fl.us.

If you have any questions relating to this specification change, please call me at (850) 414-4130.

Sincerely,

Signature on File

Daniel Strickland, P.E.
State Specifications Engineer

DS/jb

Attachment

cc: Florida Transportation Builders' Assoc.
State Construction Engineer

HOT MIX ASPHALT - GENERAL CONSTRUCTION REQUIREMENTS (REV 6-30-25)

SUBARTICLE 330-7.6 is deleted and the following substituted:

330-7.6 Use of Traffic Roller: ~~Use a traffic roller on the first overbuild course.~~ Use a traffic roller or vibratory roller (unless restricted by the Contract Documents) on the first structural layer placed on an AMI.

**HOT MIX ASPHALT - GENERAL CONSTRUCTION REQUIREMENTS
(REV 6-30-25)**

SUBARTICLE 330-7.6 is deleted and the following substituted:

330-7.6 Use of Traffic Roller: Use a traffic roller or vibratory roller (unless restricted by the Contract Documents) on the first structural layer placed on an AMI.