



Florida Department of Transportation

RON DESANTIS
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

JARED W. PERDUE, P.E.
SECRETARY

June 27, 2025

Abi Domond
Civil Rights Analysis Intern
Federal Highway Administration
3500 Financial Plaza, Suite 400
Tallahassee, Florida 32312

Re: State Specifications Office
Section: 990
Proposed Specification: **9900900 Temporary Traffic Control Device Materials**

Dear Ms. Domond:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

The changes are proposed by Ryan Gray to update terminology, application properties, and application specific materials of raised rumble strips.

Please review and transmit your comments, if any, within two weeks (10 business days). Comments should be sent via email daniel.strickland@dot.state.fl.us.

If you have any questions relating to this specification change, please call me at (850) 414-4130.

Sincerely,

Signature on File

Daniel Strickland, P.E.
State Specifications Engineer

DS/jb

Attachment

cc: Florida Transportation Builders' Assoc.
State Construction Engineer

TEMPORARY TRAFFIC CONTROL DEVICE MATERIALS (REV 5-15-25)

ARTICLE 990-9 is deleted and the following substituted:

990-9 Temporary and Short Term Raised Rumble Strips.

990-9.1 General: Temporary and short term raised rumble strips shall meet the physical display and operational requirements in the MUTCD for temporary raised rumble strips and be listed on the APL.

The temporary raised rumble strip may be either a removable striping type or a portable type described in Tables 990-2 and 990-3 below.

Short term raised rumble strips may either be a preformed thermoplastic type meeting the requirements of Section 546 or a removable striping type described in Table 990-2 below.

990-9.1.1 Removable Striping Type:

Table 990-2	
Characteristic	Requirement
Composition:	Removable Polymer Striping Tape with pre-applied adhesive
Color:	White, Black or Orange*
Cross-section:	0.25 in. to 0.50 in. (height) x 4 in. (wide)
* Orange used for Temporary Raised Rumble Strips only	

990-9.1.2 Portable Type:

Table 990-3	
Characteristic	Requirement
Composition:	Molded Engineered Polymer, Steel or Aluminum
Weight	Internally ballasted to a minimum of 100 lbs. to maintain position in use without the use of adhesives or mechanical fasteners
Color:	White, Black or Orange
Shape	Beveled on the leading edge
Cross-section:	0.625 in. to 0.875 in. (height) x 12 in. to 14 in. (wide)

TEMPORARY TRAFFIC CONTROL DEVICE MATERIALS (REV 5-15-25)

ARTICLE 990-9 is deleted and the following substituted:

990-9 Temporary and Short Term Raised Rumble Strips.

990-9.1 General: Temporary and short term raised rumble strips shall meet the physical display and operational requirements in the MUTCD for raised rumble strips and be listed on the APL.

Temporary raised rumble strip may be either a removable striping type or a portable type described in Tables 990-2 and 990-3 below.

Short term raised rumble strips may either be a preformed thermoplastic type meeting the requirements of Section 546 or a removable striping type described in Table 990-2 below.

990-9.1.1 Removable Striping Type:

Table 990-2	
Characteristic	Requirement
Composition:	Removable Polymer Striping Tape with pre-applied adhesive
Color:	White, Black or Orange*
Cross-section:	0.25 in. to 0.50 in. (height) x 4 in. (wide)
* Orange used for Temporary Raised Rumble Strips only	

990-9.1.2 Portable Type:

Table 990-3	
Characteristic	Requirement
Composition:	Molded Engineered Polymer, Steel or Aluminum
Weight	Internally ballasted to a minimum of 100 lbs. to maintain position in use without the use of adhesives or mechanical fasteners
Color:	White, Black or Orange
Shape	Beveled on the leading edge
Cross-section:	0.625 in. to 0.875 in. (height) x 12 in. to 14 in. (wide)