

RON DESANTIS GOVERNOR 605 Suwannee Street Tallahassee, FL 32399-0450 JARED W. PERDUE, P.E. SECRETARY

September 3, 2024

Cathy Kendall
Director, Office of Technical Services
Federal Highway Administration
3500 Financial Plaza, Suite 400
Tallahassee, Florida 32312

Re: State Specifications Office

Section: 705

Proposed Specification: 7050201 Object Markers and Delineators

Dear Ms. Kendall:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

The changes are proposed by Melissa Hollis to consistently refer to Section 993 for sheeting requirements.

Please review and transmit your comments, if any, within two weeks (10 business days). Comments should be sent via email daniel.strickland@dot.state.fl.us.

If you have any questions relating to this specification change, please call me at (850) 414-4130.

Sincerely,

Signature on File

Daniel Strickland, P.E. State Specifications Engineer

DS/dh

Attachment

cc: Florida Transportation Builders' Assoc.

State Construction Engineer

OBJECT MARKERS AND DELINEATORS (REV 6-25-24)

SUBARTICLE 705-2.1 is deleted and the following substituted:

705-2 Materials.

705-2.1 General: Meet the following requirements:

SUBARTICLE 705-2.4 is deleted and the following substituted:

705-2.4 Retroreflective Sheeting: Use Types IV, V or XI sheeting. The retroreflective area shall be in accordance with the MUTCD.

705-2.5 <u>4</u> Aluminum Panel: For Object Markers and Nonflexible Delineators, adhere retroreflective sheeting to 6061 T6 aluminum meeting ASTM B209. Use 0.040-inch sheet aluminum for Type 2 markers and nonflexible delineators. Use 0.080-inch sheet aluminum for Type 1, Type 3, and Type 4 markers. Prepare aluminum in accordance with recommendations of the sheeting manufacturer.

OBJECT MARKERS AND DELINEATORS (REV 6-25-24)

SUBARTICLE 705-2.1 is deleted and the following substituted:

705-2 Materials.

705-2.1 General: Meet the following requirements:

SUBARTICLE 705-2.4 is deleted and the following substituted:

705-2.4 Aluminum Panel: For Object Markers and Nonflexible Delineators, adhere retroreflective sheeting to 6061 T6 aluminum meeting ASTM B209. Use 0.040-inch sheet aluminum for Type 2 markers and nonflexible delineators. Use 0.080-inch sheet aluminum for Type 1, Type 3, and Type 4 markers. Prepare aluminum in accordance with recommendations of the sheeting manufacturer.