



OVERALL ASSEMBLY

NOTE: MINIMUM BENDING RADIUS FOR PT-PLUS 59MM DUCT IS 3.8M (12'-6")

TYPICAL PT-PLUS 59MM DUCT TO PT-PLUS 59MM DUCT CONNECTION SEE SHEET A183

ALTERNATIVE STEEL PIPE ASSEMBLY (IF APPLICABLE) SEE SHEET A184 FOR ADDITIONAL DETAILS

PRE-SPECIFICATIONS 2016

VSL 7455 NEW RIDGE RD. HANOVER, MD, 21076 WWW.VSL.NET	VSL	VSL	VSL	VSL
ECI 6-7 INTERNAL TENDON W/ 59MM PT-PLUS DUCT OVERALL ASSEMBLY	OVERALL ASSEMBLY	OVERALL ASSEMBLY	OVERALL ASSEMBLY	OVERALL ASSEMBLY
DWG. TITLE:	PROJECT:	DATE:	REV.:	BY:
		4/6/06	1	GDH
				ZK
				BY
				CHK
				APPROVED FOR CONSTRUCTION
				REVISION

Copyright © 2004 VStructural LLC (VSL). All rights reserved. The drawings, specifications and calculations set forth on this sheet may not be reproduced, changed, copied or transmitted in any form or by any means, electronic or mechanical, including, but not limited to, photocopying, digital imaging or film, except as may be expressly permitted in writing by VSL. Any unauthorized use is strictly prohibited, and VSL disclaims any liability therefrom.

SCALE: NONE
VSL JOB NO:
VSL DWG. NO. A180