



SA6-4 ANCHORAGE ASSEMBLY
SEE SHEET A186 FOR ADDITIONAL
ASSEMBLY DETAILS

OVERALL ASSEMBLY

NOTE: MINIMUM BENDING RADIUS FOR GTI 100mm DUCT IS 9.1 Ft (2.8 M)

SA6-4 GROUT CAP

VSL 7455 NEW RIDGE RD. HANOVER, MD. 21076 WWW.VSL.NET		DATE	REVISION	BY	CHK
5/08/06	2	6/14/05	1	VEN	ZK
APPROVED FOR CONSTRUCTION					
SA6-4 GTI 21X72 DUCT AND COUPLER OVERALL INTERNAL TENDON W/ ASSEMBLY		VSL SYSTEMS DRAWING			
DWG. TITLE:	SA6-4 GTI 21X72 DUCT AND COUPLER OVERALL INTERNAL TENDON W/ ASSEMBLY				
PROJECT:	VSL SYSTEMS DRAWING				
SCALE:	NONE				
VSL JOB NO.:	A188				
VSL DWG. NO.:	A188				
Copyright © 2004 VStructural LLC (VSL). All rights reserved. The drawings, specifications and calculations set forth on this sheet may not be reproduced, changed, copied or transmitted in any form or by any means, electronic or mechanical, including, but not limited to, photocopying, digital imaging or film, except as may be expressly permitted in writing by VSL. Any unauthorized use is strictly prohibited, and VSL disclaims any liability therefrom.					