



PARTIAL PLAN VIEW INSIDE AREA (MEDIAN) DUAL BRIDGES
(Bridge Deck and Approach Slab shown Dashed)



PARTIAL PLAN VIEW OUTSIDE AREA SINGLE OR DUAL BRIDGES
(Bridge Deck and Approach Slab shown Dashed)




PARTIAL SIDE ELEVATION

NOTE:
For Section A-A, B-B, C-C & D-D see Sheet 2 of 2.


NOTES TO DESIGNER:
All minimum values shown are design minimums. Actual values are determined by the designer and included in the plans.
* Longitudinal extent of riprap shall be extended beyond 15' from front Face of Backwall if required by the Engineer.

REVISIONS						DRAWN BY:	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET TITLE: RUBBLE RIPRAP SLOPE PROTECTION DETAILS (SHEET 1 OF 3)	REF. DWG. NO.
DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
										PROJECT NAME: EXAMPLE	SHEET NO.




NOTE:
 Filter Fabric shall be Type D-2, in accordance with Specifications Section 985.
 Splice length shall be in accordance with Specifications Section 514.
 For location of Section A-A see Sheet 1 of 3.
 * Provide Bedding Stone unless otherwise recommended by hydraulics engineer.

SECTION A-A



DETAIL E
 ALTERNATE INTERMEDIATE SLOPE
 WHERE WILDLIFE SHELF IS REQUIRED
 (AT SECTION A-A SHOWN, OTHER LOCATIONS SIMILAR)




DETAIL F
 ALTERNATE TOE OF SLOPE
 WHERE WILDLIFE SHELF IS REQUIRED
 (AT SECTION A-A SHOWN, OTHER LOCATIONS SIMILAR)

REVISIONS						DRAWN BY:	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET TITLE: RUBBLE RIPRAP SLOPE PROTECTION DETAILS (SHEET 2 OF 3)	REF. DWG. NO.			
DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID					
						CHECKED BY:	PROJECT NAME: EXAMPLE			SHEET NO.				


NOTE:
 Filter Fabric shall be Type D-2, in accordance with Specifications Section 985.
 Splice length shall be in accordance with Specifications Section 514.

For location of Sections B-B, C-C & D-D see Sheet 1 of 3.


* Provide Bedding Stone unless otherwise recommended by hydraulics engineer.



SECTION B-B




SECTION C-C



SECTION D-D


REVISIONS						DRAWN BY:	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET TITLE: RUBBLE RIPRAP SLOPE PROTECTION DETAILS (SHEET 3 OF 3)	REF. DWG. NO.			
DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID					
						CHECKED BY:	PROJECT NAME: EXAMPLE			SHEET NO.				




SECTION B-B

PARTIAL PLAN


Note: The filter Fabric shall be Type D-4/6 in accordance with Specifications Section 985.



SECTION A-A




DRAIN DETAIL




DETAIL A


CONCRETE SLOPE PAVEMENT PROTECTION ADJACENT TO ROAD




PARTIAL PLAN



SECTION A-A



DETAIL A



DRAIN DETAIL



DETAIL B

Note: The filter Fabric shall be Type D-4/6 in accordance with Specifications Section 985.

CONCRETE SLOPE PAVEMENT PROTECTION BETWEEN DUAL GRADE SEPARATION BRIDGES

REVISIONS						DRAWN BY:	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET TITLE: CONCRETE SLOPE PAVEMENT DETAILS	REF. DWG. NO.
DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
									PROJECT NAME: EXAMPLE	SHEET NO.	