


PARTIAL PLAN VIEW INSIDE AREA (MEDIAN) DUAL BRIDGES  
(Bridge Deck and Approach Slab shown Dashed)

PARTIAL PLAN VIEW OUTSIDE AREA SINGLE OR DUAL BRIDGES  
(Bridge Deck and Approach Slab shown Dashed)



PARTIAL SIDE ELEVATION


NOTE:  
For Section A-A, B-B, C-C &  
D-D see Sheet 2 and 3.

NOTES TO DESIGNER:


All minimum values shown are design minimums. Actual values are determined by the designer and included in the plans.

\* Longitudinal extent of riprap shall be extended beyond 15' from front Face of Backwall if required by the Engineer.


REVISIONS						Drawn By:	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET TITLE:  RUBBLE RIPRAP SLOPE PROTECTION DETAILS (SHEET 1 OF 3)		REF. DWG. NO.
Date	By	Description	Date	By	Description							
						Checked by:	ROAD NO.	COUNTY	FINANCIAL PROJECT ID	PROJECT NAME:		SHEET NO.
						Designed by:						
						Checked by:				EXAMPLE		

[illegible]


REVISIONS							Drawn By:	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET TITLE:		REF. DWG. NO.	
Date	By	Description	Date	By	Description						RUBBLE RIPRAP SLOPE PROTECTION DETAILS (SHEET 2 OF 3)			
								ROAD NO.			COUNTY	FINANCIAL PROJECT ID	PROJECT NAME:	SHEET NO.
							Checked by:				EXAMPLE			



SECTION B-B



SECTION C-C



SECTION D-D

NOTE:  
 Filter Fabric shall be Type D-2, in accordance with Specifications Section 985.  
 Splice length shall be in accordance with Specifications Section 514.

For location of Sections B-B, C-C & D-D see Sheet 1 of 3.

\* Provide Bedding Stone unless otherwise recommended by hydraulics engineer.

REVISIONS						Drawn By:	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET TITLE:	REF. DWG. NO.
Date	By	Description	Date	By	Description	Checked by:				RUBBLE RIPRAP SLOPE PROTECTION DETAILS (SHEET 3 OF 3)	
						Designed by:	ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
						Checked by:					
											SHEET NO.

