



SSUG 9-12-19



3029 – Predefined Plans do not Populate Dynamic Vehicle Information

Tucker Brown

- Issue: When using a Predefined Response Plan, there is no way to use event tags to dynamically populate information from the event.
- Proposed Enhancement
 - Allow the users to insert event tags into pre-defined plans
 - Text would be replaced in the same manner as auto-suggested messages
 - If text is unavailable for that field, the tag will be remove without adding text
 - Priority
 - Right now, set from the Predefined Plan dialog
 - Could be made to dynamically populate, just like auto-suggested messages



QUESTIONS?



4794 – Hide the password in "TSS Detector Configuration" Dialog box

Tucker Brown



Issue and Proposed Enhancement



- Issue: Password in the TSS Configuration field is plaintext

TSS Detector Configuration

New Detector Delete Detector Find on Map Place on Map Detectors Detector Location

Name	Driver	Detector Type	Protocol	Host/IP	Port	PMPP?	Address	Communi...	Poll Cycle	Roadway	Direction	Location Desc	URL	Username	Password
1	RtmsDriver	Radar	Snaps	N/A	N/A	<input type="checkbox"/>	⊗		30	⊗	⊗		some url	username	Password

- Proposed Enhancement

- Similar to the AVL Operator Password column, the password field would change to a series of dots and not be plainly visible



QUESTIONS?



3512 – Clear all lane blockage on closure

Tucker Brown



Issue and Proposed Enhancement



- Issue: When closing an event, the user is forced to manually unblock the lanes prior to closing the event.
- Proposed Enhancement
 - Similar to the Response Plan being automatically terminated, the lane blockage would automatically be cleared when the event is closed.
 - Should the user be warned?
 - Are there any Performance Measure implications with allowing an automatic closure to occur?



QUESTIONS?