Region Based Actions 4559, 4681

Tucker Brown

Defining Regions

- Situations have been brought up where it would be useful to dictate the actions of system based on the region where something occurred
  - IDS Alerts for users concentrating on a specific area

  - Changing the default mailing list for a response plan based on the event location

  - RISC responder lists

  - Easier way to define device permissions

  - Any others you can think of?

Defining Regions

- Conceptually, users would define "regions" and give them a name.
  - Probably polygon based drawings on a map

- Regions could then be used throughout the system
  - Assign users to a region (or regions)
    - IDS would only send alerts to users who are assigned to that region
    - Could apply device permissions to only devices in that region

  - Assign email addresses to a region
    - EM would automatically put those addresses in as a the default for an event in that region

  - Assign RISC responders to a region
    - Narrow down the list of possible responders

QUESTIONS?

SAS Controlled Permissions 4729

Tucker Brown

SAS Device Permissions

- District 1 needs the ability to control the Lee county cameras
  - Only in the evening.
  - Other times, operators should not attempt to control the cameras.
  - Need the ability to have device level permissions but remove them during the day.
    - Can be done manually but prone to error as there would be a list of users that would have to be added and removed daily

- Proposed Solution
  - Add ability to control device permissions through SAS
    - Would apply to assigning/removing users from groups
    - Would like to avoid adding/removing individual permissions specifically to users

QUESTIONS?