

Splice Storage Location Site Id Name: _____

ITSFM058A
Rev. 01/18

INSTRUCTIONS ON LAST PAGE

Fiber Cable Attributes

	<u>ITSFM Id #</u>	<u>Facility Owner</u>	<u>Fiber Type</u>	<u>Manufacturer</u>	<u>Year</u>	<u>Sequential</u>
Cable #1	_____	_____	_____	_____	_____	_____
Cable #2	_____	_____	_____	_____	_____	_____
Cable #3	_____	_____	_____	_____	_____	_____
Cable #4	_____	_____	_____	_____	_____	_____

ITSFM Id	Count	Direction-Cable#	BUFFER	SPLICE	BUFFER	Direction-Cable#	Count	ITSFM Id
			BLUE	1				
			BLUE	2				
			BLUE	3				
			BLUE	4				
			BLUE	5				
			BLUE	6				
			BLUE	7				
			BLUE	8				
			BLUE	9				
			BLUE	10				
			BLUE	11				
			BLUE	12				
			ORANGE	13				
			ORANGE	14				
			ORANGE	15				
			ORANGE	16				
			ORANGE	17				
			ORANGE	18				
			ORANGE	19				
			ORANGE	20				
			ORANGE	21				
			ORANGE	22				
			ORANGE	23				
			ORANGE	24				
			GREEN	25				
			GREEN	26				
			GREEN	27				
			GREEN	28				
			GREEN	29				
			GREEN	30				
			GREEN	31				
			GREEN	32				
			GREEN	33				
			GREEN	34				
			GREEN	35				
			GREEN	36				

ITSFM Id	Count	Direction-Cable#	BUFFER	SPLICE	BUFFER	Direction-Cable#	Count	ITSFM Id
			BROWN	37				
			BROWN	38				
			BROWN	39				
			BROWN	40				
			BROWN	41				
			BROWN	42				
			BROWN	43				
			BROWN	44				
			BROWN	45				
			BROWN	46				
			BROWN	47				
			BROWN	48				
			SLATE	49				
			SLATE	50				
			SLATE	51				
			SLATE	52				
			SLATE	53				
			SLATE	54				
			SLATE	55				
			SLATE	56				
			SLATE	57				
			SLATE	58				
			SLATE	59				
			SLATE	60				
			WHITE	61				
			WHITE	62				
			WHITE	63				
			WHITE	64				
			WHITE	65				
			WHITE	66				
			WHITE	67				
			WHITE	68				
			WHITE	69				
			WHITE	70				
			WHITE	71				
			WHITE	72				
			RED	73				
			RED	74				
			RED	75				
			RED	76				
			RED	77				
			RED	78				
			RED	79				
			RED	80				
			RED	81				
			RED	82				
			RED	83				
			RED	84				

ITSFM Id	Count	Direction-Cable#	BUFFER	SPLICE	BUFFER	Direction-Cable#	Count	ITSFM Id
			BLACK	85				
			BLACK	86				
			BLACK	87				
			BLACK	88				
			BLACK	89				
			BLACK	90				
			BLACK	91				
			BLACK	92				
			BLACK	93				
			BLACK	94				
			BLACK	95				
			BLACK	96				
			YELLOW	97				
			YELLOW	98				
			YELLOW	99				
			YELLOW	100				
			YELLOW	101				
			YELLOW	102				
			YELLOW	103				
			YELLOW	104				
			YELLOW	105				
			YELLOW	106				
			YELLOW	107				
			YELLOW	108				
			VIOLET	109				
			VIOLET	110				
			VIOLET	111				
			VIOLET	112				
			VIOLET	113				
			VIOLET	114				
			VIOLET	115				
			VIOLET	116				
			VIOLET	117				
			VIOLET	118				
			VIOLET	119				
			VIOLET	120				
			ROSE	121				
			ROSE	122				
			ROSE	123				
			ROSE	124				
			ROSE	125				
			ROSE	126				
			ROSE	127				
			ROSE	128				
			ROSE	129				
			ROSE	130				
			ROSE	131				
			ROSE	132				

ITSFM Id	Count	Direction-Cable#	BUFFER	SPLICE	BUFFER	Direction-Cable#	Count	ITSFM Id
			AQUA	133				
			AQUA	134				
			AQUA	135				
			AQUA	136				
			AQUA	137				
			AQUA	138				
			AQUA	139				
			AQUA	140				
			AQUA	141				
			AQUA	142				
			AQUA	143				
			AQUA	144				

Definitions

ITSFM Id # indicates the database identification number assigned to the fiber optic cable within the ITSFM.

COUNT indicates the total number of fiber within the cable sheath.

DIRECTION-CABLE# is the cable paths direction leaving the splice case storage location, typically North, South, East, West or Drop Cable including assigned Cable#.

BUFFER indicates the fiber buffer tube color.

SPLICE indicates the fiber sheath number and color code.