

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
1	09110000	0.01	C2	4	1	7	14610000	2.63
					2	1	16030000	17.92
					3	1	91020000	3.14
					4	4	93280000	9.45
					5	5	11020002	0.76
1	12020000	18.24	C3R	3	1	3	55080000	4.83
					2	1	17110000	0.00
					3	2	72193000	4.12
					4	4	93120000	5.06
					5	3	48020000	24.79
1	13010000	1.73	C3C	4	1	7	10030000	4.05
					2	1	17070000	2.82
					3	2	78010000	13.99
					4	7	10330000	4.25
					5	6	87020000	6.32
1	13010000	2.55	C3R	3	1	4	93070000	21.72
					2	4	86200000	4.90
					3	4	86000070	1.12
					4	6	90010000	4.23
					5	7	10150000	12.19
1	13010000	3.14	C3R	4	1	1	13050000	1.81
					2	4	86016000	1.25
					3	1	17070000	1.81
					4	7	15120000	4.04
					5	4	93001000	4.77
1	13010000	3.77	C3R	4	1	4	93070000	24.21
					2	4	86016000	4.68
					3	4	86230000	1.13
					4	4	93090000	11.42
					5	7	15050005	5.97

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
1	13010000	4.25	C3R	4	1	6	87134000	1.47
					2	7	15010000	8.02
					3	7	17070000	1.81
					4	7	15070000	7.37
					5	4	89091000	2.47
1	13160000	2.54	C3C	4	1	6	87080900	32.68
					2	2	72040000	5.66
					3	5	75250000	8.44
					4	2	26070000	15.74
					5	1	01010000	21.04
1	13162000	1.26	C3R	4	1	3	57110000	1.32
					2	2	78070000	14.27
					3	6	87015000	0.40
					4	1	01010000	10.18
					5	1	17020000	0.00
1	13162000	1.76	C3R	4	1	7	15240000	3.35
					2	7	15230000	0.00
					3	4	89060000	29.14
					4	1	12070000	11.13
					5	4	93090000	6.73
1	16300000	7.27	C2	4	1	5	11200000	17.86
					2	7	08040000	1.37
					3	1	12020000	10.73
					4	4	93010000	13.39
					5	2	28010000	4.58
1	17008000	4.85	C3C	4	1	5	70050000	11.86
					2	5	70050000	13.97
					3	5	70012000	5.53
					4	3	48010000	13.78
					5	3	55005000	0.00

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
2	26005000	8.65	C3C	4	1	2	76050000	22.68
					2	3	59020000	1.26
					3	5	70008000	3.19
					4	2	72150000	1.07
					5	2	76050000	23.55
2	26050000	6.02	C3C	4	1	5	70120004	2.94
					2	3	48117000	0.01
					3	2	72070000	13.87
					4	5	70022000	39.28
					5	5	70022000	39.53
2	76010000	26.55	C3C	4	1	3	55005000	0.34
					2	1	16250000	26.42
					3	5	77070000	0.00
					4	6	87027000	0.86
					5	5	77030000	5.41
3	46010000	12.37	C3C	4	1	1	16011000	2.74
					2	5	11002000	0.00
					3	2	72017000	0.45
					4	1	16120000	2.27
					5	4	94070000	19.69
3	46010000	14.37	C3C	3	1	7	10110000	3.74
					2	2	72150000	5.77
					3	7	08010000	7.65
					4	2	72190000	2.83
					5	4	94030000	10.20
3	48020000	11.14	C3C	4	1	3	58010000	10.99
					2	5	70120000	7.33
					3	5	77070000	2.53
					4	5	77030000	4.40
					5	3	48012000	2.91

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
3	48050000	21.03	C4	4	1	6	87250000	0.43
					2	4	93200000	9.14
					3	5	75030000	2.13
					4	7	10020000	4.34
					5	4	93010000	18.40
3	57040000	15.04	C3C	4	1	7	15230000	2.05
					2	5	79060000	19.22
					3	7	15150000	6.38
					4	3	48010000	12.82
					5	5	77120000	7.47
4	86006000	6.34	C5	4	1	5	86010000	8.29
					2	4	55020000	0.14
					3	7	93280000	8.60
					4	4	05506000	8.23
					5	4	86010000	9.69
4	8601000	4.15	C4	4	1	5	70100000	4.60
					2	6	87045501	3.01
					3	6	87002000	0.75
					4	1	16003000	0.47
					5	7	10340000	1.26
4	86014000	2.00	C4	4	1	6	87001000	3.96
					2	4	93190000	13.55
					3	6	87030000	23.47
					4	6	87047000	6.03
					5	6	87047000	8.03
4	86090000	5.34	C3R	4	1	4	93190000	13.97
					2	4	93200000	2.57
					3	1	03010000	1.30
					4	4	86220000	3.58
					5	4	86220000	15.13

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
4	86090000	6.86	C4	4	1	4	86090000	6.35
					2	4	86100000	23.88
					3	4	86028000	7.11
					4	6	87047000	9.51
					5	4	71130000	2.77
4	86100000	17.65	C3R	4	1	4	93200000	2.57
					2	7	14570000	7.22
					3	4	86220000	3.58
					4	4	93190000	13.97
					5	7	93200000	12.59
4	86100000	18.16	C4	4	1	7	10030000	0.00
					2	4	93120000	8.95
					3	6	87220000	3.98
					4	6	87281000	2.61
					5	4	93150000	11.06
4	86100000	19.53	C3R	4	1	7	15010000	8.02
					2	4	94120000	9.27
					3	7	15120000	4.55
					4	7	15010000	11.75
					5	6	87134000	1.47
4	86110000	2.68	C3R	3	1	7	15080000	0.00
					2	2	26090000	14.89
					3	4	86090000	2.12
					4	7	15241000	0.46
					5	4	86000070	3.69
4	86170000	0.37	C4	4	1	2	72018000	4.00
					2	2	29010000	9.91
					3	2	26020000	3.76
					4	4	93120000	21.03
					5	6	87008000	6.09

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
4	86220000	10.34	C4	4	1	4	93150000	11.06
					2	4	86028000	3.97
					3	6	87281000	2.61
					4	4	86220000	16.52
					5	7	10030000	0.00
4	86220000	12.33	C4	4	1	4	86220000	13.59
					2	4	86015000	6.66
					3	7	15061000	0.94
					4	4	93120000	8.95
					5	4	86220000	0.67
4	89092000	1.31	C4	4	1	4	86220000	17.94
					2	6	87055000	4.02
					3	6	87038000	5.64
					4	4	86220000	18.35
					5	4	93005000	0.46
4	93010101	2.05	C4	4	1	2	26020000	3.76
					2	2	29010000	9.91
					3	7	15020000	13.21
					4	2	72018000	4.00
					5	4	93120000	21.07
4	93030000	3.84	C4	4	1	5	92030000	7.76
					2	1	16060000	10.48
					3	4	86200000	0.96
					4	6	87120000	11.56
					5	6	87037001	0.18
4	93030000	6.40	C3R	4	1	1	17020000	1.21
					2	7	15030000	0.27
					3	7	15230000	3.63
					4	7	10120000	5.04
					5	2	78001000	4.61

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
4	93030000	6.98	C4	4	1	4	86220000	4.09
					2	6	87026005	3.66
					3	4	93530000	1.60
					4	4	86016000	0.00
					5	4	86020000	0.01
4	93030000	8.58	C4	4	1	1	12001101	1.23
					2	6	87062000	1.52
					3	5	70060001	0.59
					4	6	87140000	0.46
					5	5	79180000	5.89
4	93070000	21.17	C4	4	1	4	86220000	17.94
					2	4	93001000	7.96
					3	4	93005000	0.46
					4	6	87034000	2.98
					5	4	86200000	0.00
4	93070000	23.46	C4	4	1	6	87008000	8.16
					2	4	86028000	0.95
					3	1	13150000	8.31
					4	4	93005000	0.46
					5	6	87038000	2.66
4	93150000	2.01	C4	4	1	6	87001000	3.96
					2	6	87140000	13.60
					3	4	93120000	8.95
					4	6	87047000	8.03
					5	4	86220000	0.67
5	36010000	24.44	C4	4	1	5	70014000	4.60
					2	1	16003000	0.47
					3	7	10340000	1.26
					4	1	13020000	0.00
					5	6	87072000	3.01

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
5	36030000	0.54	C3C	4	1	1	16310000	0.00
					2	7	10110000	2.11
					3	5	79270000	0.00
					4	2	78002900	0.00
					5	5	70100000	16.31
5	36100000	16.49	C3C	4	1	2	74060000	3.25
					2	5	77080000	8.94
					3	2	74020000	4.03
					4	1	09030000	8.47
					5	3	48004000	9.65
5	36100000	17.67	C3C	4	1	7	14050000	6.09
					2	2	72291000	3.56
					3	3	55160000	4.28
					4	2	78020000	7.87
					5	5	36070000	20.07
5	75003000	7.63	C3C	4	1	1	12010000	20.30
					2	3	46160000	8.78
					3	3	46160000	7.90
					4	5	75190001	39.70
					5	5	11010000	18.85
5	75010000	2.70	C3C	4	1	3	55003000	9.27
					2	2	72040000	4.26
					3	5	11090000	32.05
					4	5	75011000	1.74
					5	2	72100000	12.38
5	75010000	9.44	C3C	3	1	4	93006100	0.49
					2	3	48100000	3.22
					3	5	92090000	9.44
					4	5	75120000	2.20
					5	5	75010000	0.01

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
5	75010000	11.53	C4	4	1	6	87072000	3.01
					2	5	70014000	4.60
					3	6	87002000	0.75
					4	1	16003000	0.47
					5	1	13020000	0.00
5	75010000	12.67	C4	4	1	4	86016000	3.16
					2	6	87055000	5.55
					3	3	55010000	8.11
					4	5	92030000	8.30
					5	5	75010000	13.04
5	75037000	2.15	C3C	4	1	5	75190001	39.12
					2	7	10360000	0.49
					3	4	86065000	9.61
					4	3	55003000	7.88
					5	7	10010000	17.87
5	75040000	10.72	C3C	3	1	3	48010000	15.51
					2	5	75040000	8.63
					3	1	16060000	9.26
					4	2	72070000	9.12
					5	7	10110000	4.10
5	75050000	14.87	C3C	4	1	5	77120001	1.80
					2	7	10290000	2.04
					3	7	10150000	0.00
					4	7	10020000	9.67
					5	1	12040000	9.57
5	75060000	8.94	C3C	4	1	5	92090000	2.10
					2	5	77120000	4.94
					3	5	77080000	9.44
					4	4	93004000	5.51
					5	5	77120001	1.29

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
5	75060000	10.74	C3C	4	1	5	92090000	6.50
					2	5	11070000	15.66
					3	4	86040000	4.38
					4	5	75011000	1.74
					5	5	77120000	4.94
5	75060000	11.73	C3C	4	1	7	10290000	2.04
					2	7	10150000	0.00
					3	7	15080000	2.45
					4	5	77120001	1.80
					5	7	10020000	9.67
5	75060000	14.29	C3C	4	1	2	72030000	0.46
					2	1	16210000	6.12
					3	6	87020000	5.03
					4	7	10140000	7.58
					5	7	10130000	3.75
5	75060000	16.54	C3C	4	1	7	10130000	3.75
					2	7	10140000	7.58
					3	1	16250000	23.88
					4	1	16210000	6.12
					5	2	72030000	0.46
5	75200000	2.73	C3C	4	1	1	17040000	0.38
					2	3	55080000	3.37
					3	5	70120000	0.51
					4	5	75050000	11.10
					5	1	17020000	12.46
5	75200000	6.44	C3C	4	1	1	12070000	6.88
					2	2	71020000	8.27
					3	7	10290000	4.02
					4	4	86190500	0.57
					5	1	12005000	2.49

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
5	75200000	8.43	C3C	4	1	5	70120000	0.51
					2	3	55080000	3.37
					3	7	15150000	6.88
					4	2	72190000	12.07
					5	1	03010000	7.24
5	75250000	4.81	C3C	4	1	5	18120000	0.00
					2	2	72190000	12.07
					3	5	75120000	1.68
					4	5	70120000	0.51
					5	5	70050000	11.86
5	75250000	5.31	C3C	4	1	7	10110000	13.47
					2	1	17010000	0.98
					3	3	48190000	0.92
					4	5	79070000	27.93
					5	5	77070000	0.00
5	75250000	6.29	C3C	4	1	7	10260000	0.48
					2	5	70020000	0.00
					3	7	10010000	24.81
					4	4	86120000	1.00
					5	2	72028000	1.90
5	75270000	6.11	C3C	4	1	2	72100000	7.96
					2	5	75270000	4.44
					3	5	75270000	0.92
					4	7	10290000	2.64
					5	4	86040000	4.38
5	79060000	19.61	C4	4	1	1	16030000	27.76
					2	5	75030000	5.40
					3	4	86028000	0.00
					4	4	93200000	7.13
					5	6	87120000	15.11

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
5	79060000	20.39	C4	4	1	5	70060000	19.76
					2	3	48020000	15.30
					3	5	75030000	4.02
					4	2	72080101	0.71
					5	3	46060000	6.05
5	79160000	0.00	C3C	4	1	1	12011000	4.25
					2	4	86170000	3.93
					3	1	12010000	19.55
					4	7	15120000	6.06
					5	5	79230000	0.05
5	79220000	0.99	C4	4	1	6	87052000	1.52
					2	6	87038000	6.67
					3	5	79010000	30.64
					4	1	13050101	1.46
					5	1	13150000	4.57
5	92030000	3.35	C3C	4	1	5	70120003	0.00
					2	7	10060000	22.04
					3	5	75250000	3.55
					4	5	36110000	21.94
					5	3	48003000	5.37
6	87001000	3.14	C4	4	1	6	87240000	3.75
					2	6	87580500	1.99
					3	4	94005000	0.99
					4	4	93050000	2.51
					5	6	87250000	1.96
6	87008000	5.58	C4	4	1	3	53020000	0.00
					2	3	48080060	2.37
					3	4	93280000	9.10
					4	6	87085000	1.06
					5	2	72018000	4.00

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
6	87019000	2.24	C4	4	1	4	86200000	0.96
					2	6	87120000	11.56
					3	5	92030000	7.76
					4	1	16060000	10.48
					5	4	86230000	3.04
6	87020000	13.80	C4	4	1	4	86014000	1.00
					2	4	86014000	6.75
					3	4	86090000	2.53
					4	7	15040000	3.44
					5	4	93210000	1.22
6	87020000	13.98	C3C	4	1	7	15020000	5.08
					2	2	76050000	24.56
					3	3	57010000	13.23
					4	3	46020003	9.55
					5	7	10040000	8.97
6	87030000	3.75	C4	4	1	4	86006000	6.16
					2	6	87020000	18.22
					3	5	75060000	4.16
					4	4	93120000	10.00
					5	6	87020000	19.05
6	87030000	6.52	C4	4	1	2	71130000	2.77
					2	4	86014000	6.24
					3	6	87072000	6.67
					4	4	86100000	23.88
					5	4	86028000	7.11
6	87034000	4.98	C4	4	1	4	86100000	23.88
					2	4	86090000	6.35
					3	2	71130000	2.77
					4	6	87072000	6.67
					5	6	87047000	9.51

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
6	87037000	0.89	C4	4	1	7	15090000	2.41
					2	3	46060000	5.74
					3	5	79040000	7.83
					4	7	10020101	0.80
					5	6	87037000	1.00
6	87038000	2.15	C4	4	1	4	86200000	0.00
					2	4	86220000	4.09
					3	4	93012000	0.36
					4	7	10030000	2.27
					5	4	93530000	1.60
6	87038000	7.18	C4	4	1	1	13150000	4.57
					2	1	13050101	2.04
					3	6	87054000	2.04
					4	6	87038000	6.67
					5	5	79010000	30.64
6	87055000	6.79	C5	4	1	6	86010000	8.80
					2	7	93280000	8.60
					3	4	75040000	12.49
					4	4	75060000	1.00
					5	4	86006000	6.96
6	87090000	0.44	C1	3	1	2	26020000	10.41
					2	3	60010000	16.71
					3	6	87150000	17.40
					4	3	58010000	11.63
					5	4	93290000	0.00
6	87140000	13.10	C4	4	1	4	86080000	18.71
					2	6	87170000	2.02
					3	6	87030000	5.98
					4	4	86220000	13.26
					5	6	87170000	1.83

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
6	87240000	8.85	C4	4	1	4	93200000	7.13
					2	1	16030000	27.76
					3	5	75190000	9.86
					4	5	75030000	5.40
					5	6	87120000	15.11
6	87240000	11.82	C3R	4	1	4	93001000	8.63
					2	4	93310000	17.04
					3	4	86065000	1.04
					4	2	72070000	0.00
					5	1	17020000	0.00
6	87281000	8.19	C4	4	1	7	15009000	2.05
					2	1	16003000	0.46
					3	7	10340000	1.26
					4	6	87052000	1.52
					5	5	79010000	30.64
7	02030000	3.35	C3C	3	1	2	72018000	2.94
					2	2	72060000	1.25
					3	1	12001000	3.82
					4	5	70110000	8.35
					5	5	73010000	10.76
7	02030000	16.48	C3C	4	1	3	55040000	9.44
					2	5	11002000	0.00
					3	2	76050000	24.56
					4	1	13150000	0.00
					5	5	70002000	1.00
7	02050000	13.55	C3C	3	1	3	48020000	9.56
					2	5	77060000	4.50
					3	2	72080000	10.30
					4	2	26005000	1.16
					5	7	10005000	0.00

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office

2022 System Analysis and Forecast Evaluation (SAFE)

Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
7	08040000	4.59	C3R	4	1	1	16020000	9.13
					2	2	71070000	1.85
					3	1	09030000	8.47
					4	5	11090000	31.82
					5	7	10140000	8.69
7	10010000	9.67	C3R	4	1	2	34010000	6.62
					2	4	94005000	4.26
					3	5	70008000	4.02
					4	7	15120000	0.69
					5	3	48013000	6.36
7	10010000	15.71	C3C	4	1	5	79040000	10.29
					2	5	77080000	0.64
					3	5	77080000	1.02
					4	3	55050000	4.63
					5	2	72100000	11.04
7	10020000	5.36	C4	4	1	1	13020000	0.00
					2	1	16003000	0.47
					3	5	70140000	4.60
					4	1	16003001	10.00
					5	4	93040000	0.64
7	10030000	0.50	C4	4	1	6	87008000	7.86
					2	6	87053000	2.01
					3	4	86220000	19.03
					4	6	87240000	3.24
					5	1	12010000	23.04
7	10040000	2.16	C4	4	1	5	75080101	2.07
					2	6	87008001	0.56
					3	1	13010001	0.04
					4	5	79160000	2.76
					5	4	93010000	18.23

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
7	10060000	17.22	C3C	4	1	2	72220000	8.03
					2	5	11200000	13.90
					3	3	48010000	15.36
					4	7	10060000	19.28
					5	1	12040000	0.63
7	10080000	1.11	C5	4	1	5	86006000	6.96
					2	6	87044000	8.46
					3	4	55006000	8.38
					4	3	55020000	0.07
					5	6	87054000	1.02
7	10120000	6.07	C3C	4	1	7	10110000	13.47
					2	1	17010000	0.98
					3	3	48190000	0.92
					4	5	75250000	3.55
					5	5	79070000	27.93
7	10290000	1.52	C3C	4	1	5	11070000	14.41
					2	4	93270000	0.54
					3	2	72040000	6.64
					4	7	55020000	0.84
					5	2	72190000	5.69
7	14010000	11.32	C3R	4	1	4	93001000	8.63
					2	2	72070000	0.00
					3	4	93310000	17.04
					4	7	10040000	5.45
					5	7	10040000	4.17
7	14030000	1.01	C3C	4	1	7	10160000	6.82
					2	5	77080000	7.70
					3	5	75003000	0.65
					4	5	92090000	2.10
					5	7	10150000	8.41

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
7	14030000	1.51	C3C	4	1	5	77080000	7.70
					2	5	75003000	0.65
					3	7	10130000	10.53
					4	7	10150000	8.41
					5	5	75011001	39.28
7	14030000	1.71	C3C	4	1	5	77080000	7.70
					2	7	10130000	10.53
					3	5	75003000	0.65
					4	7	10150000	9.04
					5	5	75011001	39.28
7	14030000	2.51	C3C	4	1	5	77080000	7.70
					2	5	77080000	7.70
					3	7	10130000	10.53
					4	4	93120000	13.47
					5	1	12005000	4.61
7	14030000	8.76	C3C	4	1	5	77080000	1.02
					2	5	75010000	3.41
					3	5	77080000	0.64
					4	2	72100000	11.04
					5	5	79040000	10.29
7	14030000	9.42	C3C	4	1	5	11010000	16.45
					2	5	11010000	17.18
					3	5	11010000	15.97
					4	7	10150000	0.84
					5	4	93270000	0.54
7	14030000	9.73	C3C	4	1	7	14091000	2.93
					2	7	15120000	6.06
					3	2	71020000	8.27
					4	2	72100001	0.13
					5	4	86170000	3.93

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
7	14030000	10.00	C3C	4	1	5	11010000	17.18
					2	5	11010000	15.97
					3	5	11010000	16.45
					4	7	10150000	0.84
					5	4	93270000	0.54
7	14030000	13.85	C3C	4	1	2	72100000	11.04
					2	1	01010000	20.21
					3	3	60020001	3.03
					4	1	12010000	2.14
					5	5	77080000	6.38
7	14030000	14.83	C3C	4	1	7	10340000	11.40
					2	7	15230000	1.38
					3	4	94010000	9.81
					4	2	71020000	5.98
					5	5	70010000	16.67
7	14030000	16.15	C3C	3	1	1	09030000	4.94
					2	1	09030000	3.99
					3	1	16060000	0.83
					4	1	16060000	0.87
					5	3	58030000	11.88
7	14090000	0.00	C3C	4	1	7	15080000	2.45
					2	7	15015000	0.00
					3	7	10290000	2.04
					4	5	77120001	1.80
					5	7	15120000	8.53
7	14090000	1.78	C3C	4	1	7	10160000	6.82
					2	7	10160000	4.82
					3	5	77080000	7.70
					4	5	92090000	2.86
					5	7	10130000	11.05

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office

2022 System Analysis and Forecast Evaluation (SAFE)

Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
7	14090000	18.31	C3C	4	1	1	16120000	2.27
					2	4	94003000	4.93
					3	5	11080000	3.31
					4	7	15025000	0.32
					5	1	16011000	2.74
7	14091000	0.76	C3C	4	1	2	71020000	14.00
					2	7	10130000	11.05
					3	2	71130000	0.00
					4	7	10160000	6.82
					5	7	10160000	4.82
7	14091000	7.49	C3C	4	1	5	11020002	0.76
					2	1	16119000	3.88
					3	1	09030000	14.23
					4	5	18010000	2.26
					5	5	11070000	4.29
7	14120000	0.00	C4	4	1	7	15120000	6.06
					2	7	14091000	2.93
					3	2	71020000	8.27
					4	4	86170000	3.93
					5	1	12110000	4.25
7	14120000	2.01	C3C	4	1	4	86190500	0.57
					2	6	87015000	3.03
					3	4	86065000	9.61
					4	5	75270000	3.07
					5	1	12070000	6.88
7	14120000	2.52	C3C	4	1	4	94010000	9.81
					2	5	70010000	16.67
					3	7	10340000	11.40
					4	7	15230000	1.38
					5	7	02030000	7.68

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
7	14120000	3.03	C3R	4	1	4	89060000	26.67
					2	5	70010000	16.91
					3	7	15030000	9.71
					4	1	16003001	7.56
					5	3	48004000	9.65
7	14570000	0.00	C3C	4	1	4	86014000	6.24
					2	6	87072000	6.67
					3	6	87281000	0.00
					4	2	71130000	2.77
					5	6	87047000	8.03
7	14570000	0.87	C3C	4	1	5	79070000	27.93
					2	1	17010000	0.98
					3	5	75205000	0.31
					4	3	48010000	10.65
					5	5	11200000	11.20
7	14572000	0.42	C3C	4	1	5	77120001	1.29
					2	4	93004000	5.51
					3	5	75003000	3.06
					4	3	46010100	0.66
					5	5	77080000	9.44
7	14610000	1.00	C3C	4	1	1	17020000	12.46
					2	7	10310000	5.47
					3	5	70120000	0.51
					4	2	72190000	12.07
					5	3	55080000	3.37
7	15040000	4.44	C4	4	1	7	15150000	22.18
					2	7	15120000	8.53
					3	7	15150000	17.97
					4	7	10130000	10.04
					5	2	71130000	0.00

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
7	15061000	5.94	C3C	4	1	3	57130000	2.11
					2	7	15061000	5.44
					3	3	48070000	5.20
					4	3	46020003	1.64
					5	1	12040000	0.63
7	15090000	4.42	C4	4	1	6	87080000	2.67
					2	7	15090000	3.92
					3	6	90010000	1.65
					4	5	75030000	7.42
					5	3	55010000	8.58
7	15090000	5.39	C5	4	1	3	10130000	9.53
					2	7	87054000	4.67
					3	1	03010000	12.06
					4	3	10130000	9.53
					5	3	10080000	2.63
7	15120000	11.14	C3C	4	1	7	15080000	1.07
					2	6	87020000	5.03
					3	5	75050000	10.26
					4	1	16210000	6.12
					5	3	55003000	6.57
					1	7	15080000	1.07
7	15150000	4.38	C4	4	2	7	15061000	3.19
					3	7	10130000	8.03
					4	6	87037000	3.55
					5	6	87037000	5.30
					1	5	75250002	0.93
7	15230000	4.65	C3R	4	2	3	48040000	0.46
					3	3	48040000	0.86
					4	3	48040000	0.93
					5	2	72120000	21.90
					1	5	75250002	0.93

FLORIDA DEPARTMENT OF TRANSPORTATION
Traffic Engineering and Operations Office
2022 System Analysis and Forecast Evaluation (SAFE)
Candidate and Sister Signalized Intersections

-----Sorted by District and Roadway ID of Candidate Intersections-----

Candidate Intersections (Intersections with the Highest Potential for Safety Improvement)					Sister Intersections (Intersections Showing Better Safety Performance with Traffic Conditions Similar to Candidate Intersection)			
District	Roadway ID	MP	Context Class	Number of Legs	Rank	District	Roadway ID	MP
7	15230000	5.15	C4	4	1	4	86210000	3.01
					2	5	75006000	0.58
					3	3	46090000	0.55
					4	4	86018000	2.03
					5	4	86090000	8.12