

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
1	09110000	0.008	177	3	60020000	14.616	955	1
				3	55003000	2.626	2,559	2
				1	16119000	3.883	951	3
				1	16119000	5.141	948	4
				7	14050000	5.834	972	5
1	12005000	3.072	205	2	72190000	3.649	514	1
				5	77080000	0.639	2,129	2
				3	55050000	4.629	2,117	3
				3	58030000	0.725	2,137	4
				2	72100000	11.035	2,136	5
1	12020000	4.368	286	3	58010000	11.628	2,894	1
				4	93120000	5.061	2,877	2
				2	72193000	4.122	2,877	3
				7	10003100	1.344	1,019	4
				3	48003000	7.280	2,968	5
1	12020000	8.248	263	1	12020000	10.739	927	1
				1	12060000	18.258	2,483	2
				3	57130000	5.691	911	3
				2	71070000	5.836	2,418	4
				7	10110000	13.472	927	5
1	13010000	1.732	138	7	10030000	4.052	2,272	1
				6	87020000	6.323	2,295	2
				7	10330000	4.245	2,278	3
				6	87020000	5.156	897	4
				1	17070000	2.823	2,268	5
1	13010000	3.138	110	4	93001000	4.765	816	1
				4	93210000	18.129	821	2
				7	15120000	4.040	823	3
				1	16300000	0.256	1,772	4
				4	86015000	3.307	815	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
1	13010000	3.768	156	4	93180000	0.947	541	1
				4	86190000	4.512	1,795	2
				4	93120000	8.228	1,788	3
				1	13050000	2.682	1,814	4
				7	15070000	2.048	825	5
1	13010000	4.254	63	4	86015000	3.307	815	1
				7	15070000	1.780	809	2
				1	17070000	1.805	1,756	3
				1	16300000	0.256	1,772	4
				7	15070000	2.794	802	5
1	13010000	5.283	105	4	86120000	0.998	3,146	1
				6	87002000	0.747	540	2
				4	86200000	0.000	921	3
				3	48020000	15.154	3,149	4
				6	87133000	0.549	919	5
1	13010000	6.077	110	4	93010000	12.894	3,584	1
				4	89010000	7.063	3,563	2
				4	93020000	1.124	1,057	3
				4	93090000	3.619	1,049	4
				6	87026000	1.521	3,558	5
1	13020000	2.745	237	7	15010000	10.495	869	1
				7	15010000	10.495	869	2
				2	26005000	3.142	1,881	3
				4	93210000	5.395	1,887	4
				7	15070000	4.652	1,893	5
1	13020000	4.560	221	3	48010000	12.203	2,293	1
				3	48010000	12.823	896	2
				5	70010000	16.912	2,294	3
				3	57040000	15.665	898	4
				7	15230000	2.051	894	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
1	13020000	6.326	260	3	48010000	12.203	2,293	1
				3	48010000	12.823	896	2
				5	70010000	16.912	2,294	3
				1	16100000	4.304	896	4
				1	16210000	6.631	2,300	5
1	13040000	3.969	202	4	93310000	21.959	2,411	1
				2	72015000	1.090	2,402	2
				4	93310000	19.619	943	3
				5	70120000	2.258	945	4
				7	10110000	0.003	2,424	5
1	13040000	4.977	280	2	72193000	4.122	2,877	1
				4	93120000	5.061	2,877	2
				3	58010000	11.628	2,894	3
				6	87281000	10.478	2,831	4
				1	16070000	3.677	2,827	5
1	13040000	6.374	134	5	92040000	0.701	874	1
				2	72040000	6.643	538	2
				7	15040000	1.917	865	3
				5	11070000	14.409	877	4
				3	57040000	1.637	2,251	5
1	13040000	6.999	88	6	87080900	32.678	839	1
				1	01010000	21.044	2,145	2
				1	13040000	6.492	839	3
				2	72040000	5.658	522	4
				5	77080000	3.626	520	5
1	13120001	1.455	348	6	87080000	3.888	4,536	1
				2	37010000	12.932	4,449	2
				4	93120000	21.264	4,549	3
				5	79220001	0.616	4,449	4
				2	76050000	26.249	4,636	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office

System Analysis and Forecast Evaluation (SAFE)

Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
1	13120001	1.600	329	7	15010000	4.635	3,487	1
				7	10340000	2.813	1,023	2
				6	87080001	2.330	3,510	3
				6	87046000	0.477	3,541	4
				6	87026000	1.521	3,558	5
1	13120001	1.711	320	3	48013000	4.606	2,551	1
				4	94006000	0.000	2,562	2
				2	76050000	10.793	2,620	3
				4	94070000	20.972	2,505	4
				7	10090000	12.431	2,700	5
1	13121000	0.002	214	2	72040000	0.831	2,242	1
				5	70060000	34.204	2,225	2
				3	55080000	3.370	2,187	3
				1	16030000	27.759	2,202	4
				7	10110000	2.106	2,260	5
1	13121000	1.025	170	1	16210000	6.631	2,300	1
				5	70010000	16.912	2,294	2
				4	89060000	26.667	895	3
				3	55050000	9.015	893	4
				1	16100000	4.304	896	5
1	13121000	2.029	263	1	16180000	1.898	905	1
				2	78040000	13.803	2,313	2
				3	48010000	12.203	2,293	3
				1	16210000	6.631	2,300	4
				5	70010000	16.912	2,294	5
1	13121000	2.810	214	1	16210000	6.122	868	1
				3	48012000	4.685	869	2
				7	15150000	6.883	869	3
				5	36100000	14.384	539	4
				2	72220000	11.626	2,218	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
1	13121000	6.158	291	1	13160000	9.477	1,985	1
				4	89010000	10.132	2,001	2
				7	15120000	1.960	2,025	3
				4	93010000	0.290	1,949	4
				2	72160000	10.696	2,042	5
1	13121000	7.079	276	5	77030000	7.421	2,423	1
				5	11230000	0.164	2,443	2
				5	11070000	8.509	2,418	3
				1	09030000	2.755	2,425	4
				5	36110000	21.969	944	5
1	13130000	4.570	202	7	15230000	3.634	1,881	1
				2	78001000	4.608	862	2
				2	72028000	1.476	858	3
				4	93150000	10.048	866	4
				7	15030000	0.274	863	5
1	13160000	1.013	118	5	75002000	0.650	2,143	1
				3	57040000	4.606	2,133	2
				1	17040000	0.382	2,159	3
				5	92090000	14.636	522	4
				4	86065000	8.623	833	5
1	13160000	2.539	103	5	77080000	7.124	2,191	1
				5	77080000	3.236	859	2
				5	77080000	4.185	2,193	3
				1	16180000	16.126	2,199	4
				7	15040000	2.927	533	5
1	13160000	3.800	182	5	75250000	8.440	2,173	1
				4	93001000	6.733	2,172	2
				4	93001000	6.940	2,172	3
				4	93001000	7.310	2,172	4
				3	46160000	10.715	528	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
1	13162000	1.258	168	2	26070000	12.919	1,946	1
				4	89092000	0.632	1,950	2
				4	93010000	1.110	882	3
				3	48013000	4.078	887	4
				1	17020000	0.003	1,957	5
1	13162000	1.760	85	3	55005000	0.340	2,321	1
				5	70020000	22.628	911	2
				3	46001000	2.278	906	3
				5	70050000	10.171	2,337	4
				5	70010000	16.086	910	5
1	16060000	7.828	213	1	16060000	4.317	882	1
				1	16180000	25.552	896	2
				7	10160000	11.626	2,341	3
				2	71070000	5.836	2,418	4
				1	12010000	12.683	867	5
1	16180000	5.946	219	5	11200000	17.862	906	1
				3	57050000	13.972	906	2
				2	71070000	5.836	2,418	3
				1	12060000	18.258	2,483	4
				7	10160000	11.626	2,341	5
1	17008000	0.505	253	6	87072000	3.008	967	1
				4	93040000	5.888	3,316	2
				6	87060001	0.063	965	3
				2	28010000	8.344	3,310	4
				4	93010000	2.890	961	5
1	17008000	2.022	218	7	10340000	10.394	879	1
				1	12004000	10.726	546	2
				4	86065000	7.480	2,241	3
				3	55005000	0.745	2,266	4
				5	77060000	5.080	2,239	5

FLORIDA DEPARTMENT OF TRANSPORTATION**Traffic Engineering and Operations Office****System Analysis and Forecast Evaluation (SAFE)****Sister Signalized Intersections**

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
1	17008000	3.045	224	5	36100000	9.466	907	1
				5	75039000	1.556	903	2
				3	48004000	9.647	2,301	3
				1	16210000	6.631	2,300	4
				7	10060000	26.450	2,336	5
1	17008000	4.853	219	6	87027000	0.857	2,259	1
				1	16250000	21.209	889	2
				5	77070000	2.525	2,279	3
				5	77060000	2.198	2,288	4
				5	70120004	1.926	891	5
1	17010000	6.147	235	4	89091000	0.964	1,884	1
				6	87091000	6.378	1,874	2
				4	86005000	0.460	863	3
				4	93150000	7.031	1,852	4
				4	93090000	7.740	872	5
1	17010000	12.306	201	4	89060000	29.138	1,829	1
				4	93210000	5.554	1,831	2
				6	87002000	3.756	844	3
				4	88060000	33.201	1,866	4
				1	12070000	11.126	1,880	5
1	17010000	12.853	246	6	87008000	2.032	844	1
				2	26070000	14.381	2,147	2
				2	72190000	12.073	849	3
				1	12010000	7.945	841	4
				5	11002000	4.512	2,140	5
1	17020000	6.122	234	7	15030000	5.410	2,388	1
				7	10340000	11.395	2,357	2
				4	86230000	3.638	934	3
				1	13130000	1.006	2,330	4
				5	11200000	16.011	2,390	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
1	17040000	4.201	244	3	46160000	11.293	2,149	1
				3	57030000	12.244	2,152	2
				6	87008000	5.081	523	3
				4	89010000	23.031	837	4
				1	01010000	19.668	839	5
1	17120000	2.665	327	4	86016000	1.665	1,022	1
				6	87008001	0.015	3,536	2
				4	93040000	11.114	3,421	3
				1	12010000	23.330	3,527	4
				4	86210000	3.009	3,512	5
2	26005000	4.651	233	6	87091000	6.378	1,874	1
				4	93150000	7.031	1,852	2
				4	86005000	0.460	863	3
				4	89091000	0.964	1,884	4
				4	88060000	33.201	1,866	5
2	26005000	6.660	284	7	10040000	5.169	1,973	1
				7	10003100	0.435	908	2
				7	10040000	4.171	1,992	3
				6	87015000	0.403	1,969	4
				4	89092000	0.632	1,950	5
2	26005000	8.652	275	3	59020000	1.256	2,803	1
				2	72150000	1.073	2,885	2
				2	76050000	22.679	2,882	3
				2	76050000	23.550	2,861	4
				3	46010002	1.453	2,787	5
2	26010000	15.212	323	7	10340000	5.574	3,448	1
				2	72150000	2.712	3,401	2
				4	94010000	12.997	3,436	3
				3	46600000	0.006	3,409	4
				4	93001000	8.634	3,463	5

FLORIDA DEPARTMENT OF TRANSPORTATION**Traffic Engineering and Operations Office****System Analysis and Forecast Evaluation (SAFE)****Sister Signalized Intersections**

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
2	26050000	3.962	353	5	75030000	5.152	3,728	1
				4	93040000	4.581	3,767	2
				1	16030000	29.373	1,094	3
				4	94010000	13.253	3,790	4
				5	11050000	12.772	3,684	5
2	26050000	4.533	334	6	87026000	1.521	3,558	1
				6	87026000	2.516	1,042	2
				4	89010000	7.063	3,563	3
				2	28010000	8.062	1,043	4
				6	87046000	0.477	3,541	5
2	26050000	6.017	211	1	16004101	0.116	981	1
				5	70120004	2.935	2,499	2
				3	48010000	5.835	2,494	3
				5	70022000	39.275	2,528	4
				5	18010000	22.363	977	5
2	26090000	13.652	159	3	57110028	1.833	2,132	1
				3	57040000	3.039	2,145	2
				7	10310000	5.469	2,152	3
				7	10140000	8.043	837	4
				3	55003000	7.877	831	5
2	37030000	4.144	442	2	29050000	7.584	3,940	1
				5	70070000	1.510	4,115	2
				3	58080000	5.396	4,417	3
				3	53060000	8.879	3,757	4
				5	79100000	13.118	3,823	5
2	72014000	2.252	257	3	58030000	7.832	2,264	1
				1	17120000	3.665	887	2
				2	78010000	12.506	2,262	3
				1	17070000	2.823	2,268	4
				5	77120001	1.546	2,249	5

FLORIDA DEPARTMENT OF TRANSPORTATION**Traffic Engineering and Operations Office****System Analysis and Forecast Evaluation (SAFE)****Sister Signalized Intersections**

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
2	72220000	5.542	270	2	74060000	8.190	972	1
				5	77120000	2.889	2,749	2
				2	72030000	7.819	972	3
				1	16300000	2.485	2,764	4
				5	77120000	3.076	2,786	5
2	72291000	1.095	376	2	26050000	3.250	3,967	1
				4	93050000	5.068	3,965	2
				3	46020000	8.526	4,071	3
				2	72291000	5.178	4,057	4
				4	94030000	24.856	3,998	5
3	48010000	8.298	278	3	55020000	2.024	955	1
				1	01050000	17.103	2,449	2
				3	55070000	19.568	2,450	3
				5	79070000	27.931	2,463	4
				7	10110000	0.003	2,424	5
3	48020000	11.093	217	5	36100000	6.811	2,260	1
				7	10020000	8.377	2,238	2
				5	77060000	5.080	2,239	3
				4	86065000	7.480	2,241	4
				6	87027003	0.002	2,247	5
3	48020000	13.474	202	6	87080347	0.975	1,065	1
				6	87080000	3.644	1,065	2
				6	87250000	3.472	3,594	3
				6	87120001	2.003	1,066	4
				6	87053003	1.052	3,659	5
3	48205000	7.138	294	2	72193000	5.754	931	1
				4	89040000	3.326	2,025	2
				7	10030002	0.005	933	3
				3	48012000	6.268	1,972	4
				6	87015000	0.403	1,969	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
3	57040000	15.037	260	7	15230000	2.051	894	1
				5	79060000	19.219	2,289	2
				5	77120000	7.469	2,266	3
				1	09030000	8.473	894	4
				2	74060000	5.278	2,262	5
3	58010000	4.012	275	7	02030000	7.677	2,423	1
				5	75030000	8.512	2,425	2
				1	16310000	0.002	2,407	3
				5	75080000	14.333	2,390	4
				1	12010000	0.127	2,435	5
3	58030000	15.026	257	3	57040000	17.955	2,648	1
				5	75010000	0.006	2,632	2
				1	17030000	1.206	2,682	3
				4	93150000	4.012	938	4
				5	75020000	13.296	2,703	5
4	86006000	0.000	129	5	75020000	11.088	2,044	1
				4	86014000	8.759	887	2
				4	86020000	0.005	887	3
				7	10130000	8.521	900	4
				4	86030000	0.480	2,143	5
4	86006000	0.688	194	7	15120000	4.040	823	1
				4	93210000	18.129	821	2
				4	93001000	4.765	816	3
				4	86190000	4.512	1,795	4
				5	77120000	6.323	1,804	5
4	86006000	1.571	216	6	87026005	0.585	1,721	1
				2	78001000	4.235	1,734	2
				4	86190000	5.007	518	3
				2	72030000	5.570	1,750	4
				7	15010000	11.252	814	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
4	86006000	6.342	287	6	87060000	16.009	2,190	1
				4	86010000	8.804	2,239	2
				7	10130000	9.031	967	3
				4	86010000	9.686	2,353	4
				6	87090000	19.658	2,264	5
4	86014000	1.998	194	6	87047000	8.025	3,015	1
				6	87001000	3.961	889	2
				6	87001000	4.947	889	3
				6	87072000	1.051	3,050	4
				6	87072000	6.669	3,052	5
4	86014000	3.219	169	4	86190000	3.514	2,997	1
				6	87001000	9.898	3,027	2
				4	86090000	4.834	2,998	3
				3	57030000	19.480	3,017	4
				4	86220000	13.591	519	5
4	86039000	0.000	109	4	86090000	4.834	2,998	1
				3	57030000	19.480	3,017	2
				6	87170000	3.062	363	3
				6	87001000	9.898	3,027	4
				4	86190000	3.514	2,997	5
4	86065000	6.518	234	4	86220000	16.520	899	1
				6	87281000	2.614	3,085	2
				6	87240000	9.287	3,079	3
				6	87001000	9.898	3,027	4
				4	86220000	4.087	3,097	5
4	86090000	5.337	205	4	86170000	13.118	545	1
				6	87120000	5.019	3,180	2
				4	86014000	5.007	3,198	3
				4	86220000	3.082	933	4
				6	87120000	8.547	3,206	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
4	86090000	6.855	236	4	93120000	8.953	527	1
				4	86020000	10.657	3,094	2
				4	86100000	21.717	898	3
				6	87047000	9.505	3,109	4
				6	87072000	6.669	3,052	5
4	86100000	2.573	240	4	86100000	4.096	916	1
				6	87120000	15.114	3,134	2
				4	86120000	3.090	914	3
				4	86028000	0.000	3,148	4
				5	75090000	0.354	3,140	5
4	86100000	17.652	203	4	93270000	0.777	3,134	1
				4	86040000	10.489	539	2
				3	57030000	11.702	3,140	3
				4	86014000	0.998	3,152	4
				4	86090000	2.525	918	5
4	86100000	18.847	281	4	86020000	1.969	3,143	1
				1	17020000	17.374	2,994	2
				7	10270008	0.311	3,070	3
				6	87210000	1.691	3,135	4
				4	93280000	8.780	3,106	5
4	86100000	19.529	127	2	72028000	2.458	2,107	1
				2	72100001	0.130	2,105	2
				6	87027000	5.356	511	3
				4	86190500	0.566	817	4
				3	57110028	1.833	2,132	5
4	86110000	2.682	161	7	10270008	0.311	3,070	1
				4	93280000	8.780	3,106	2
				6	87210000	1.691	3,135	3
				6	87170000	3.193	1,048	4
				1	17020000	17.374	2,994	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
4	86110000	3.398	240	4	93270000	0.777	3,134	1
				3	57030000	11.702	3,140	2
				4	86014000	0.998	3,152	3
				4	86090000	2.525	918	4
				6	87047000	9.505	3,109	5
4	86110000	5.019	236	4	93120000	8.953	527	1
				4	86020000	10.657	3,094	2
				4	86100000	21.717	898	3
				6	87047000	9.505	3,109	4
				6	87072000	6.669	3,052	5
4	86200000	3.623	257	6	87240000	3.240	3,360	1
				6	87120000	10.324	3,377	2
				6	87220000	3.191	3,344	3
				4	94010000	3.731	3,340	4
				6	87240000	2.977	3,310	5
4	86220000	12.327	133	4	86220000	0.671	520	1
				4	86015000	6.656	522	2
				7	15061000	0.941	520	3
				4	86220000	13.591	519	4
				4	86028000	3.973	519	5
4	87002000	8.756	249	3	55003000	6.565	2,190	1
				4	86080000	19.084	2,195	2
				5	70020000	7.254	2,188	3
				1	17020000	14.296	854	4
				4	93280000	7.067	2,172	5
4	89092000	1.309	207	6	87055000	1.024	3,202	1
				6	87281000	0.573	940	2
				6	87030000	16.133	3,183	3
				6	87055000	4.015	934	4
				4	86015000	0.000	3,186	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
4	93010000	10.544	404	6	87140000	0.461	4,266	1
				4	93120000	21.170	4,414	2
				2	72050000	5.534	4,171	3
				5	79220001	0.616	4,449	4
				2	38030000	0.001	4,488	5
4	93010101	1.047	391	7	15025000	1.481	4,228	1
				1	09040000	0.000	4,084	2
				2	78010027	2.496	4,132	3
				2	72050000	5.534	4,171	4
				4	93310000	23.605	4,308	5
4	93010101	2.052	354	5	79180000	6.599	3,751	1
				2	26020000	3.756	3,769	2
				2	72005000	0.453	3,708	3
				2	72160000	12.915	3,706	4
				3	46060000	0.211	3,837	5
4	93016000	4.138	274	7	15230000	3.634	1,881	1
				4	93150000	10.048	866	2
				5	75050000	3.065	871	3
				7	10120000	5.039	1,894	4
				2	72028000	1.476	858	5
4	93016000	5.142	214	6	87090000	19.658	2,264	1
				1	13150000	8.307	965	2
				1	13150101	0.198	965	3
				4	86030000	0.480	2,143	4
				1	13050101	1.458	2,347	5
4	93016000	7.661	260	6	87001000	2.683	3,358	1
				6	87030000	16.644	3,440	2
				5	75050000	4.323	997	3
				5	92030000	7.200	3,349	4
				4	93004000	2.126	3,372	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office

System Analysis and Forecast Evaluation (SAFE)

Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
4	93030000	3.841	224	4	86016000	1.665	1,022	1
				1	17120000	1.644	1,008	2
				4	93040000	11.114	3,421	3
				4	86210000	3.009	3,512	4
				1	12010000	23.330	3,527	5
4	93030000	5.161	239	4	86120000	3.090	914	1
				4	86100000	4.096	916	2
				6	87120000	15.114	3,134	3
				3	57050000	17.604	3,094	4
				4	86120000	1.575	3,120	5
4	93030000	6.400	236	1	17020000	1.209	875	1
				7	15030000	0.274	863	2
				4	86190000	6.019	1,912	3
				4	93016000	6.654	882	4
				2	78001000	4.608	862	5
4	93030000	6.984	142	7	10140000	8.043	837	1
				3	57110028	1.833	2,132	2
				5	75002000	0.650	2,143	3
				7	10310000	5.469	2,152	4
				3	57040000	3.039	2,145	5
4	93070000	21.166	207	6	87038000	3.634	939	1
				4	86120000	6.943	3,183	2
				4	86020000	7.349	3,232	3
				4	93012000	0.356	3,191	4
				5	75060000	1.894	944	5
4	93070000	22.186	254	6	87026005	2.401	3,320	1
				4	86220000	18.354	3,301	2
				4	86190000	4.010	3,297	3
				6	87026005	1.083	976	4
				4	86020000	6.822	978	5

FLORIDA DEPARTMENT OF TRANSPORTATION**Traffic Engineering and Operations Office****System Analysis and Forecast Evaluation (SAFE)****Sister Signalized Intersections**

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
4	93070000	22.690	235	5	75030000	7.677	3,081	1
				6	87240000	9.287	3,079	2
				6	87026000	8.709	901	3
				4	86018000	3.279	896	4
				3	57050000	17.604	3,094	5
4	93070000	23.454	178	4	86120000	6.943	3,183	1
				6	87053000	3.008	933	2
				6	87038000	3.634	939	3
				4	93012000	0.356	3,191	4
				1	17040000	1.116	3,166	5
4	93150000	2.008	167	6	87047000	8.025	3,015	1
				4	86190000	3.514	2,997	2
				6	87072000	6.669	3,052	3
				6	87072000	1.051	3,050	4
				4	93280000	3.023	891	5
4	93180000	3.611	236	6	87240000	9.287	3,079	1
				6	87026000	8.709	901	2
				3	57050000	17.604	3,094	3
				4	86010000	0.769	903	4
				6	87281000	2.614	3,085	5
5	11010000	7.882	171	1	12060000	18.258	2,483	1
				5	11200000	17.862	906	2
				3	57050000	13.972	906	3
				2	71070000	5.836	2,418	4
				1	16180000	24.199	946	5
5	11010000	11.697	249	4	86080000	19.084	2,195	1
				5	70020000	7.254	2,188	2
				3	55003000	6.565	2,190	3
				1	17020000	14.296	854	4
				4	93280000	7.067	2,172	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
5	11010000	21.224	268	1	16180000	24.199	946	1
				3	55003000	2.626	2,559	2
				1	16119000	3.883	951	3
				3	55003000	2.224	958	4
				1	12060000	18.258	2,483	5
5	18070000	16.687	272	2	72028000	1.021	2,109	1
				5	36009000	8.682	2,132	2
				2	26004000	1.649	2,152	3
				6	87091000	4.079	2,159	4
				1	16050000	9.804	2,116	5
5	36008000	2.418	221	3	48280000	2.126	2,634	1
				2	72012000	2.084	2,644	2
				2	72060000	2.253	2,639	3
				1	16050000	0.000	1,030	4
				1	13120001	3.024	2,656	5
5	36010000	24.438	109	6	87052000	1.516	3,242	1
				4	89092000	0.257	955	2
				7	15009000	2.061	960	3
				6	87026000	2.019	3,236	4
				4	86015000	5.060	3,264	5
5	36030000	0.540	145	6	87060000	3.587	960	1
				5	70012000	5.528	3,278	2
				4	86015000	5.060	3,264	3
				4	86015000	5.309	966	4
				4	86015000	9.574	3,301	5
5	36030000	1.231	199	4	93012000	3.461	2,377	1
				5	79001000	0.265	920	2
				2	26250000	0.720	2,349	3
				1	12060000	12.371	2,358	4
				2	72220000	8.902	927	5

FLORIDA DEPARTMENT OF TRANSPORTATION**Traffic Engineering and Operations Office****System Analysis and Forecast Evaluation (SAFE)****Sister Signalized Intersections**

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
5	36100000	11.838	248	3	55003000	6.565	2,190	1
				4	93280000	7.067	2,172	2
				1	12070000	3.823	530	3
				4	86065000	5.113	530	4
				5	70020000	7.254	2,188	5
5	36100000	16.473	260	5	77010000	7.289	2,300	1
				1	16020000	9.126	2,270	2
				5	75320000	39.970	2,303	3
				3	58010000	9.292	897	4
				2	74020000	4.027	2,286	5
5	36100000	17.658	283	3	48020000	7.788	970	1
				5	79190000	14.598	2,518	2
				5	79060000	0.249	2,481	3
				1	16300000	5.407	2,480	4
				2	78002900	0.806	2,500	5
5	36110000	25.978	271	7	15009000	1.301	1,034	1
				1	13010001	0.042	3,501	2
				4	86050000	9.866	3,560	3
				6	87080000	0.512	1,025	4
				6	87140000	4.137	3,473	5
5	70011000	2.244	282	5	70011000	1.201	1,085	1
				2	26070000	18.709	3,659	2
				3	57110000	0.578	1,084	3
				3	48080060	2.367	3,728	4
				4	94005000	1.794	3,631	5
5	70100000	8.727	243	1	17040000	1.116	3,166	1
				4	86020000	8.778	3,167	2
				4	86120000	6.943	3,183	3
				4	93190000	15.549	544	4
				6	87053000	3.008	933	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
5	70100000	8.990	362	6	87072000	3.512	3,883	1
				5	70060000	19.759	3,890	2
				7	10080000	5.038	3,922	3
				4	94010000	13.253	3,790	4
				6	87038000	8.685	3,846	5
5	70140000	1.964	235	5	70140000	2.862	946	1
				5	11200000	16.011	2,390	2
				7	02030000	7.677	2,423	3
				5	75080000	14.333	2,390	4
				5	79190000	7.939	972	5
5	75002000	3.651	253	5	75050000	4.050	868	1
				5	11040000	4.626	2,202	2
				5	75002000	3.912	541	3
				1	12060000	9.758	2,230	4
				3	57040000	2.462	2,207	5
5	75003000	7.628	219	5	11070000	13.667	2,252	1
				5	11010000	18.846	2,257	2
				3	57040000	1.637	2,251	3
				5	11070000	14.409	877	4
				5	11010000	18.120	547	5
5	75010000	2.697	177	2	72100000	12.381	513	1
				2	72040000	4.255	2,120	2
				5	77010000	3.367	828	3
				7	10020000	9.672	820	4
				7	10150000	0.002	825	5
5	75010000	3.413	207	5	77080000	1.021	836	1
				2	72100000	11.035	2,136	2
				5	75270000	1.977	836	3
				5	77120001	1.293	2,145	4
				5	77080000	0.639	2,129	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
5	75010000	8.640	175	5	75270000	0.916	2,082	1
				3	57030030	22.766	507	2
				1	12010000	19.550	818	3
				5	75270000	2.319	505	4
				5	70050000	11.855	2,092	5
5	75010000	10.147	203	7	10150000	7.788	2,085	1
				5	77080000	5.393	827	2
				3	55050000	4.629	2,117	3
				3	55003000	9.270	2,124	4
				2	72100000	7.963	2,094	5
5	75010000	11.530	213	2	28010000	8.344	3,310	1
				4	93010000	2.890	961	2
				7	10330000	0.158	960	3
				6	87072000	3.008	967	4
				6	87060001	0.063	965	5
5	75010000	12.667	187	6	87240000	1.231	981	1
				7	15045000	1.692	3,349	2
				5	75030000	3.395	3,367	3
				5	77120000	7.870	3,373	4
				4	86010000	1.403	3,371	5
5	75037000	1.126	211	5	75037000	0.437	853	1
				4	93001000	6.733	2,172	2
				4	93001000	6.940	2,172	3
				4	93001000	7.310	2,172	4
				5	75250000	8.440	2,173	5
5	75037000	2.147	175	1	16210000	3.865	507	1
				5	77120001	0.733	2,068	2
				2	71020000	9.547	2,067	3
				2	26090000	13.328	511	4
				2	26070000	14.742	512	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
5	75039000	2.027	158	2	72160000	5.201	2,136	1
				5	11002000	4.512	2,140	2
				2	26070000	14.381	2,147	3
				2	26070000	15.742	836	4
				2	72040000	4.255	2,120	5
5	75060000	8.941	202	5	77120000	4.936	2,090	1
				5	92090000	2.103	2,092	2
				2	72100000	7.963	2,094	3
				5	77080000	9.437	2,097	4
				4	93004000	5.508	2,096	5
5	75060000	10.740	177	7	10150000	0.002	825	1
				7	10020000	9.672	820	2
				5	77010000	3.367	828	3
				7	10150000	7.788	2,085	4
				5	77080000	5.393	827	5
5	75060000	11.729	137	5	77120001	1.795	812	1
				7	10290000	2.037	2,036	2
				5	77120001	0.733	2,068	3
				2	72190000	7.710	501	4
				1	12004000	9.570	2,062	5
5	75060000	13.280	215	1	16250000	23.876	2,222	1
				5	79060000	17.829	872	2
				3	55060000	4.782	876	3
				6	87026000	5.772	2,211	4
				3	48013002	1.973	2,247	5
5	75060000	16.540	164	1	13050002	0.558	2,198	1
				1	01010000	16.027	861	2
				2	72030000	0.464	537	3
				5	75050000	12.818	861	4
				1	09030000	10.267	871	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
5	75080000	9.018	275	2	72070000	13.865	2,402	1
				5	70120004	3.441	2,449	2
				1	16300000	3.454	2,397	3
				2	78060000	19.414	946	4
				3	48003000	2.701	2,420	5
5	75120000	0.449	197	2	29010000	7.510	916	1
				2	29090000	11.348	2,353	2
				6	87020000	1.873	2,352	3
				2	72015000	1.644	2,348	4
				5	70050000	10.171	2,337	5
5	75190000	3.217	202	4	86190500	0.566	817	1
				4	86065000	9.607	812	2
				1	12004000	9.570	2,062	3
				1	16210000	4.196	2,106	4
				2	72028000	2.458	2,107	5
5	75190000	7.152	247	6	87055000	1.024	3,202	1
				6	87052000	1.516	3,242	2
				6	87240000	3.751	3,228	3
				5	75030000	5.400	3,229	4
				4	86015000	0.000	3,186	5
5	75200000	2.728	144	1	17040000	0.382	2,159	1
				3	55080000	3.370	2,187	2
				5	75002000	0.650	2,143	3
				2	72028000	1.901	853	4
				1	03010000	14.113	855	5
5	75200000	4.426	251	1	01010000	16.027	861	1
				5	70020000	5.489	535	2
				1	13050002	0.558	2,198	3
				3	55003000	6.565	2,190	4
				5	70020000	19.170	534	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
5	75200000	5.426	195	5	70020000	22.628	911	1
				3	55005000	0.340	2,321	2
				3	46001000	2.278	906	3
				7	14050000	6.356	912	4
				2	78002900	0.001	2,306	5
5	75200000	6.440	175	1	12004000	9.570	2,062	1
				2	72100001	0.130	2,105	2
				2	72028000	2.458	2,107	3
				4	86190500	0.566	817	4
				4	86065000	9.607	812	5
5	75200000	8.434	133	5	70100000	11.453	2,211	1
				1	16030000	27.759	2,202	2
				4	86065000	10.633	860	3
				1	17020000	21.882	2,223	4
				7	08040000	3.880	872	5
5	75250000	4.808	176	4	86110000	0.737	1,813	1
				5	77120000	6.323	1,804	2
				7	15010000	7.647	543	3
				4	93150000	7.031	1,852	4
				4	93210000	5.554	1,831	5
5	75250000	5.313	192	4	89060000	26.667	895	1
				5	70010000	16.912	2,294	2
				4	89010000	14.457	891	3
				1	16100000	4.304	896	4
				3	48010000	12.823	896	5
5	75250000	5.786	226	2	72220000	8.650	914	1
				5	36004000	4.819	914	2
				7	10060000	26.450	2,336	3
				5	11200000	13.252	914	4
				3	55002000	10.142	918	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
5	75250000	6.298	121	2	72100000	5.721	534	1
				3	55080000	3.370	2,187	2
				1	03010000	14.113	855	3
				5	11010047	0.350	536	4
				2	72028000	1.901	853	5
5	79010000	29.920	295	7	10020000	7.366	1,015	1
				5	36010000	16.419	2,590	2
				5	36010000	17.259	2,572	3
				5	79070000	30.858	2,592	4
				4	94010000	13.968	2,601	5
5	79030000	5.518	188	3	48040000	5.211	2,238	1
				6	87027003	0.002	2,247	2
				3	48012000	4.685	869	3
				2	72220000	11.626	2,218	4
				4	86170000	10.034	541	5
5	79030000	6.239	262	2	72012000	1.020	2,729	1
				3	55190000	0.420	2,720	2
				3	55010000	2.002	2,709	3
				4	86015000	10.526	2,671	4
				4	86060000	3.999	2,728	5
5	79050000	12.164	314	7	10030000	20.276	3,488	1
				7	10030101	0.650	3,443	2
				7	10030000	20.375	3,478	3
				4	94004000	1.561	3,366	4
				2	27030000	10.795	3,353	5
5	79060000	2.636	280	2	72110000	1.801	2,466	1
				5	70014000	2.882	2,440	2
				4	93090000	3.096	959	3
				5	79070000	27.931	2,463	4
				5	70120004	2.935	2,499	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office **System Analysis and Forecast Evaluation (SAFE)** **Sister Signalized Intersections**

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
5	79060000	15.584	233	5	36110000	21.969	944	1
				5	77030000	7.421	2,423	2
				5	11070000	8.509	2,418	3
				3	48070000	8.294	2,409	4
				1	09030000	2.755	2,425	5
5	79060000	19.612	133	4	86065000	10.633	860	1
				1	16030000	27.759	2,202	2
				2	72028000	1.901	853	3
				2	72100000	5.721	534	4
				2	78002900	1.002	855	5
5	79060000	20.386	298	5	70060000	19.759	3,890	1
				6	87072000	3.512	3,883	2
				7	10080000	5.038	3,922	3
				4	94010000	13.253	3,790	4
				4	93040000	4.581	3,767	5
5	79080000	1.115	406	4	93120000	21.170	4,414	1
				6	87062000	0.996	4,286	2
				2	26130000	0.085	4,446	3
				5	75030000	0.946	4,228	4
				6	87062000	1.520	4,325	5
5	79150000	1.110	340	4	86090000	8.122	3,642	1
				5	92030000	8.844	1,074	2
				6	87240000	7.829	3,655	3
				6	87019000	0.264	3,594	4
				6	87055000	3.522	1,048	5
5	79160000	0.002	163	5	77080000	7.124	2,191	1
				1	16180000	16.126	2,199	2
				5	77080000	4.185	2,193	3
				5	77080000	3.236	859	4
				4	89010000	22.421	2,192	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
5	79190000	0.012	286	3	58010000	11.628	2,894	1
				4	93120000	5.061	2,877	2
				7	10003100	1.344	1,019	3
				2	72193000	4.122	2,877	4
				3	48003000	7.280	2,968	5
5	79190000	2.525	170	2	72014000	3.995	2,280	1
				3	48070000	4.739	891	2
				4	94030000	20.840	2,317	3
				2	26090000	15.155	2,278	4
				7	10060000	14.273	893	5
5	79190000	3.310	240	5	79060000	0.249	2,481	1
				1	01040101	1.485	972	2
				2	78002900	0.806	2,500	3
				3	55190000	1.232	966	4
				7	14050000	6.093	2,494	5
5	79190000	6.137	256	3	55005000	0.745	2,266	1
				1	17020000	10.031	873	2
				2	72040000	0.831	2,242	3
				3	48012000	2.907	2,271	4
				7	08040000	3.880	872	5
5	79220000	0.991	212	5	70012000	5.528	3,278	1
				4	86015000	5.060	3,264	2
				4	86015000	9.574	3,301	3
				6	87060000	3.587	960	4
				2	26010000	13.629	971	5
5	79270000	2.178	247	5	75030000	5.400	3,229	1
				6	87240000	3.751	3,228	2
				6	87038000	4.162	940	3
				4	86020000	7.349	3,232	4
				6	87055000	1.024	3,202	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
5	92010000	13.253	219	5	77070000	2.525	2,279	1
				5	77170000	3.026	2,258	2
				1	16250000	21.209	889	3
				5	70020000	13.918	2,242	4
				6	87001000	1.624	879	5
5	92010000	14.018	177	1	12010000	13.153	825	1
				1	12011000	4.255	824	2
				5	92030000	1.842	2,105	3
				2	72040000	4.255	2,120	4
				1	03010000	12.881	2,127	5
5	92090000	8.833	148	7	08040000	3.880	872	1
				6	87027000	1.182	543	2
				5	70100000	11.453	2,211	3
				4	86065000	7.480	2,241	4
				5	77060000	5.080	2,239	5
5	92090000	12.105	247	2	71130000	2.774	2,170	1
				5	92090000	13.095	524	2
				7	10150000	9.800	525	3
				2	71070000	13.706	850	4
				5	92090000	13.375	878	5
6	87001000	3.132	204	3	57030000	11.702	3,140	1
				6	87038000	2.658	926	2
				4	86014000	0.998	3,152	3
				4	93001000	7.958	931	4
				5	70020000	2.889	540	5
6	87008000	5.585	276	7	10020000	4.343	3,600	1
				6	87008001	2.079	1,060	2
				4	86065000	0.368	3,566	3
				6	87120000	15.625	3,559	4
				4	93010000	17.367	1,064	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
6	87019000	2.242	225	6	87008001	0.015	3,536	1
				4	86200000	0.960	3,413	2
				1	12010000	23.330	3,527	3
				4	86016000	1.665	1,022	4
				4	93040000	11.114	3,421	5
6	87020000	13.795	187	4	94010000	3.731	3,340	1
				6	87240000	3.240	3,360	2
				6	87240000	2.977	3,310	3
				6	87220000	3.191	3,344	4
				6	87120000	10.324	3,377	5
6	87020000	13.979	184	1	16180000	16.126	2,199	1
				5	77080000	7.124	2,191	2
				4	89010000	22.421	2,192	3
				5	77080000	4.185	2,193	4
				5	77080000	3.236	859	5
6	87026000	1.017	214	4	93040000	5.888	3,316	1
				6	87060001	0.063	965	2
				6	87072000	3.008	967	3
				7	15009000	2.061	960	4
				2	28010000	8.344	3,310	5
6	87030000	2.428	212	5	75020000	11.088	2,044	1
				6	87030000	2.122	887	2
				6	87030000	1.459	2,215	3
				6	87060000	16.009	2,190	4
				4	86010000	8.286	2,232	5
6	87034000	4.981	198	6	87072000	6.669	3,052	1
				6	87072000	1.051	3,050	2
				4	93280000	3.023	891	3
				6	87047000	8.025	3,015	4
				4	86090000	6.351	525	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
6	87037000	0.888	332	6	87037000	0.999	1,037	1
				5	75030000	5.717	1,032	2
				7	15090000	2.411	3,492	3
				4	86100000	3.594	3,493	4
				3	48020000	14.911	3,528	5
6	87037000	5.659	305	5	75090000	3.445	3,358	1
				5	75030000	3.822	3,376	2
				1	17020000	18.839	3,340	3
				1	17120000	0.701	3,340	4
				5	75060000	0.482	3,403	5
6	87044000	2.648	257	6	87001000	2.683	3,358	1
				4	93004000	2.126	3,372	2
				4	86090000	7.359	972	3
				6	87240101	0.098	3,305	4
				4	86028000	1.685	3,285	5
6	87080900	33.681	326	4	94010000	12.997	3,436	1
				7	15010000	4.635	3,487	2
				4	94030000	22.614	1,010	3
				7	10340000	5.574	3,448	4
				5	75012000	1.008	1,011	5
6	87090000	0.441	270	3	55020000	4.514	3,224	1
				2	78090000	0.000	3,307	2
				5	73020000	6.557	3,351	3
				3	55060000	2.487	3,354	4
				2	78020000	1.761	3,188	5
6	87090000	16.988	345	7	15007000	2.795	3,659	1
				5	79080000	0.226	1,078	2
				3	48020000	16.963	3,645	3
				6	87085000	3.593	1,076	4
				1	16030000	28.261	3,678	5

FLORIDA DEPARTMENT OF TRANSPORTATION**Traffic Engineering and Operations Office****System Analysis and Forecast Evaluation (SAFE)****Sister Signalized Intersections**

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
6	87120000	5.518	211	4	86130000	3.621	955	1
				4	86040000	12.487	3,224	2
				4	86090000	1.326	963	3
				5	75060000	2.657	3,283	4
				6	87240000	2.977	3,310	5
6	87140000	6.677	210	6	87026000	2.019	3,236	1
				2	76010000	28.732	3,239	2
				4	89092000	0.257	955	3
				6	87052000	1.516	3,242	4
				7	10330000	0.158	960	5
6	87140000	12.606	196	6	87047000	8.025	3,015	1
				4	86028000	3.973	519	2
				4	86220000	0.671	520	3
				4	86015000	6.656	522	4
				6	87072000	6.669	3,052	5
6	87140000	13.101	164	6	87030000	24.650	963	1
				6	87281000	3.857	961	2
				4	86014000	5.256	3,436	3
				6	87220000	3.191	3,344	4
				6	87240000	3.240	3,360	5
6	87160000	8.615	303	5	79180000	1.237	4,002	1
				6	87047000	5.414	3,886	2
				6	87012000	0.503	4,024	3
				6	87160000	8.100	3,849	4
				6	87060001	1.780	4,035	5
6	87240000	8.850	239	4	86120000	3.090	914	1
				4	86100000	4.096	916	2
				6	87120000	15.114	3,134	3
				5	75006000	0.334	3,132	4
				4	86120000	1.575	3,120	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
6	87240000	9.853	236	6	87240000	9.287	3,079	1
				6	87026000	8.709	901	2
				5	75030000	7.677	3,081	3
				3	57050000	17.604	3,094	4
				5	11070000	13.282	3,099	5
6	87240000	11.823	280	4	93030000	0.003	1,894	1
				1	12070000	11.126	1,880	2
				7	15241000	0.961	1,931	3
				7	10040000	5.169	1,973	4
				4	88060000	33.201	1,866	5
6	87250000	2.967	278	5	79030000	0.667	1,064	1
				6	87038000	8.940	3,620	2
				2	72100000	1.069	1,067	3
				2	72190000	0.085	1,067	4
				4	93020000	1.124	1,057	5
6	87281000	8.194	165	6	87008000	7.090	983	1
				7	15007000	1.531	3,394	2
				1	13150000	5.564	3,326	3
				2	72100000	4.463	3,362	4
				6	87052000	1.012	976	5
6	90010000	1.106	360	4	93020000	10.953	3,860	1
				6	87160000	8.100	3,849	2
				6	87047000	5.414	3,886	3
				1	12014000	4.000	3,785	4
				4	88010000	4.746	3,736	5
7	02030000	3.347	313	2	72060000	1.249	3,211	1
				2	72018000	2.939	3,221	2
				2	26090000	8.876	3,193	3
				3	48080060	1.827	3,171	4
				1	12001000	3.824	3,212	5

FLORIDA DEPARTMENT OF TRANSPORTATION**Traffic Engineering and Operations Office****System Analysis and Forecast Evaluation (SAFE)****Sister Signalized Intersections**

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
7	02030000	16.475	317	4	86060000	7.075	2,786	1
				1	03080000	38.679	2,829	2
				2	76050000	24.562	2,825	3
				1	13050000	1.055	2,724	4
				2	72012000	1.020	2,729	5
7	02050000	13.553	236	2	71130000	2.240	2,853	1
				5	70050000	14.633	999	2
				3	58010000	4.815	1,002	3
				5	70050000	14.780	1,008	4
				5	70010000	15.259	2,812	5
7	08020000	0.013	251	5	75050000	12.818	861	1
				7	15080000	1.070	535	2
				1	13050002	0.558	2,198	3
				5	75050000	10.260	858	4
				1	16210000	6.122	868	5
7	08020000	1.934	211	1	12010000	25.383	2,177	1
				4	93005000	0.464	2,173	2
				5	75050000	10.260	858	3
				5	75060000	12.520	530	4
				2	72190000	12.073	849	5
7	08020000	4.773	215	7	10090000	4.118	2,228	1
				7	10140000	8.692	873	2
				1	01010000	21.536	2,211	3
				1	12060000	9.758	2,230	4
				6	87026000	5.772	2,211	5
7	08040000	0.460	280	4	93120000	5.061	2,877	1
				2	72193000	4.122	2,877	2
				3	58010000	11.628	2,894	3
				6	87281000	10.478	2,831	4
				1	16070000	3.677	2,827	5

FLORIDA DEPARTMENT OF TRANSPORTATION**Traffic Engineering and Operations Office****System Analysis and Forecast Evaluation (SAFE)****Sister Signalized Intersections**

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
7	08040000	4.592	220	2	74020000	4.027	2,286	1
				5	70120000	7.334	889	2
				1	16003001	7.558	2,274	3
				1	16020000	9.126	2,270	4
				5	77010000	7.289	2,300	5
7	08040000	5.085	259	2	74020000	4.027	2,286	1
				5	70120000	7.334	889	2
				1	16003001	7.558	2,274	3
				1	16020000	9.126	2,270	4
				5	77010000	7.289	2,300	5
7	10010000	9.665	259	5	70070000	2.920	2,309	1
				7	10090000	9.297	2,390	2
				4	94003000	8.225	2,473	3
				2	26003000	1.464	2,367	4
				3	48013000	6.358	2,268	5
7	10010000	11.179	145	1	12010000	9.310	529	1
				1	17020000	14.296	854	2
				4	93280000	7.067	2,172	3
				5	70020000	7.254	2,188	4
				3	55003000	6.565	2,190	5
7	10010000	15.708	144	5	77080000	4.379	843	1
				3	46160000	11.293	2,149	2
				1	12010000	4.426	2,161	3
				1	01010000	20.210	2,165	4
				2	72040000	6.334	847	5
7	10010000	16.707	245	3	55050000	5.295	2,154	1
				3	55050000	7.571	2,153	2
				5	75003000	4.563	2,135	3
				7	10110000	9.935	2,139	4
				4	93004000	6.594	2,150	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
7	10010000	18.510	197	7	15150000	31.290	495	1
				4	86040000	6.462	801	2
				7	10160000	6.818	2,039	3
				5	77080000	8.935	803	4
				4	93120000	17.840	2,064	5
7	10020000	5.355	220	1	12014000	3.557	3,427	1
				3	55040000	9.935	3,425	2
				7	15200000	9.957	3,393	3
				4	86170000	12.138	3,446	4
				5	70060000	17.532	3,394	5
7	10030000	0.504	226	4	93180000	4.384	1,025	1
				5	75060000	1.328	3,551	2
				6	87120000	12.826	3,412	3
				6	87030000	16.644	3,440	4
				5	92030000	7.759	3,662	5
7	10040000	2.159	265	4	86170000	12.138	3,446	1
				7	10040000	1.154	1,011	2
				6	87008001	0.558	1,009	3
				1	12014000	3.557	3,427	4
				4	93001000	8.634	3,463	5
7	10060000	17.223	229	5	11200000	13.899	925	1
				5	11090000	31.181	929	2
				5	79190000	8.778	923	3
				1	12040000	0.627	2,387	4
				2	72220000	8.034	2,353	5
7	10110000	7.075	145	7	10140000	5.016	774	1
				7	15150000	13.025	1,988	2
				7	15150000	13.039	1,988	3
				2	71070000	11.921	783	4
				5	77080000	9.944	2,030	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
7	10110000	7.674	262	7	15120000	10.613	978	1
				5	77080000	8.910	906	2
				7	15080000	2.097	2,645	3
				2	72190000	4.230	2,786	4
				4	86028000	5.598	2,690	5
7	10110000	8.931	253	5	77080000	8.721	2,108	1
				7	10130000	11.053	852	2
				5	77080000	7.696	2,089	3
				7	10130000	10.530	2,086	4
				4	93120000	13.472	815	5
7	10130000	6.038	329	4	86100000	3.594	3,493	1
				7	15090000	2.411	3,492	2
				6	87066000	0.756	1,029	3
				3	48020000	14.911	3,528	4
				7	10020101	0.796	3,538	5
7	10250000	1.149	285	1	17010000	15.846	2,507	1
				3	57003000	0.881	2,520	2
				1	09030000	15.731	974	3
				1	01010000	22.307	2,478	4
				3	55003000	2.999	2,472	5
7	10290000	1.011	252	2	71020000	8.270	862	1
				4	93270000	0.536	2,202	2
				5	77080000	0.290	2,177	3
				5	77080000	1.820	2,175	4
				1	12010000	13.834	2,237	5
7	10290000	1.517	213	2	71020000	8.270	862	1
				4	93270000	0.536	2,202	2
				5	77080000	0.290	2,177	3
				5	77080000	1.820	2,175	4
				5	77080000	4.887	854	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
7	10340000	11.896	134	2	78001000	4.608	862	1
				7	15030000	0.274	863	2
				7	15230000	3.634	1,881	3
				1	17020000	1.209	875	4
				1	13050000	2.682	1,814	5
7	14010000	11.318	174	2	72193000	5.754	931	1
				3	48012000	6.268	1,972	2
				6	87015000	0.403	1,969	3
				4	89040000	3.326	2,025	4
				3	57110000	1.318	1,965	5
7	14030000	1.008	105	4	93190000	13.210	2,062	1
				7	10150000	8.412	2,077	2
				5	75003000	0.653	811	3
				4	93120000	17.840	2,064	4
				7	10160000	6.818	2,039	5
7	14030000	1.512	175	7	10150000	8.412	2,077	1
				5	92090000	2.861	2,075	2
				5	75003000	0.653	811	3
				4	93120000	17.840	2,064	4
				7	10130000	10.530	2,086	5
7	14030000	1.712	93	4	93280000	6.207	824	1
				7	10130000	10.530	2,086	2
				5	77080000	7.696	2,089	3
				5	77080000	8.721	2,108	4
				5	92090000	2.861	2,075	5
7	14030000	2.511	117	4	93280000	6.207	824	1
				7	10130000	10.530	2,086	2
				5	77080000	8.721	2,108	3
				5	77080000	7.696	2,089	4
				7	10130000	11.053	852	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
7	14030000	8.758	129	5	77080000	1.021	836	1
				2	72100000	11.035	2,136	2
				5	75010000	2.112	834	3
				5	77080000	0.639	2,129	4
				5	77080000	6.377	838	5
7	14030000	9.058	249	5	77080000	0.290	2,177	1
				5	77080000	1.820	2,175	2
				4	93270000	0.536	2,202	3
				4	89010000	22.421	2,192	4
				3	58030000	1.259	849	5
7	14030000	9.415	165	2	71020000	8.270	862	1
				1	12010000	13.834	2,237	2
				7	10150000	0.838	538	3
				4	93270000	0.536	2,202	4
				5	92090000	10.235	884	5
7	14030000	9.729	106	2	72100001	0.130	2,105	1
				6	87027000	5.356	511	2
				2	72028000	2.458	2,107	3
				5	75120000	1.679	819	4
				4	86190500	0.566	817	5
7	14030000	10.000	216	1	12010000	13.834	2,237	1
				2	71020000	8.270	862	2
				5	92090000	10.235	884	3
				5	11010000	16.454	2,230	4
				5	11010000	17.181	2,272	5
7	14030000	13.846	81	3	46160000	7.899	2,214	1
				1	12010000	18.917	539	2
				7	15040000	1.917	865	3
				2	72100000	6.529	537	4
				4	89010000	23.535	864	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
7	14030000	14.825	201	7	15030000	5.410	2,388	1
				4	86230000	3.638	934	2
				5	11200000	16.011	2,390	3
				5	75080000	14.333	2,390	4
				5	36100000	8.780	2,381	5
7	14050000	11.328	254	5	70030000	0.493	3,061	1
				5	77010000	0.711	1,084	2
				2	72080000	4.504	3,091	3
				4	93040000	4.234	1,085	4
				2	71130000	1.601	3,061	5
7	14090000	1.780	197	7	10160000	6.818	2,039	1
				7	15150000	31.290	495	2
				4	93190000	13.210	2,062	3
				4	93120000	17.840	2,064	4
				5	77080000	8.935	803	5
7	14090000	18.310	247	1	16120000	2.274	2,930	1
				5	11080000	3.347	2,963	2
				3	57040000	0.232	2,947	3
				2	34150000	6.620	3,000	4
				4	89530000	0.277	2,940	5
7	14091000	0.759	196	7	10160000	4.824	793	1
				7	10130000	10.035	2,027	2
				2	71130000	0.003	2,029	3
				7	10160000	6.818	2,039	4
				7	10160000	6.169	358	5
7	14120000	0.000	81	2	72100001	0.130	2,105	1
				6	87027000	5.356	511	2
				2	72028000	2.458	2,107	3
				5	75120000	1.679	819	4
				5	70050000	11.855	2,092	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
7	14120000	1.321	198	5	11040000	8.948	3,142	1
				5	79270000	0.696	3,134	2
				1	01050000	15.822	3,097	3
				5	79040000	4.667	3,056	4
				5	11010047	0.574	3,143	5
7	14120000	2.010	107	2	72100001	0.130	2,105	1
				6	87027000	5.356	511	2
				2	72028000	2.458	2,107	3
				5	75120000	1.679	819	4
				5	75020000	3.417	514	5
7	14120000	2.516	134	7	15030000	5.410	2,388	1
				4	86230000	3.638	934	2
				5	11200000	16.011	2,390	3
				6	90060000	25.726	985	4
				5	79190000	7.939	972	5
7	14120000	3.032	193	1	16210000	6.631	2,300	1
				5	75039000	1.556	903	2
				3	48004000	9.647	2,301	3
				5	70010000	16.912	2,294	4
				4	89060000	26.667	895	5
7	14570000	0.002	150	4	93280000	3.023	891	1
				6	87072000	1.051	3,050	2
				6	87072000	6.669	3,052	3
				6	87047000	8.025	3,015	4
				4	86090000	6.351	525	5
7	14570000	0.872	227	5	11200000	13.252	914	1
				2	72220000	8.034	2,353	2
				5	36004000	4.819	914	3
				2	72220000	8.650	914	4
				5	79190000	8.778	923	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
7	14570000	2.717	119	1	17040000	0.382	2,159	1
				3	55080000	3.370	2,187	2
				1	03010000	14.113	855	3
				2	72028000	1.901	853	4
				5	75002000	0.650	2,143	5
7	14571000	8.285	136	1	12004000	9.570	2,062	1
				7	10290000	2.037	2,036	2
				7	10110000	6.310	494	3
				1	12010000	17.782	498	4
				7	15120000	9.859	360	5
7	14572000	0.420	107	5	11070000	15.663	511	1
				5	77080000	9.437	2,097	2
				4	93004000	5.508	2,096	3
				5	75003000	3.062	2,111	4
				3	46010100	0.657	825	5
7	15030000	4.541	224	4	86100000	24.472	1,787	1
				7	15010000	9.580	833	2
				4	93210000	3.771	1,813	3
				6	87134000	1.470	1,802	4
				4	86220000	17.676	1,828	5
7	15030018	0.583	149	5	77120001	1.546	2,249	1
				4	86200000	2.229	875	2
				6	87133000	0.007	2,242	3
				4	86100000	21.442	2,235	4
				5	70020000	6.187	2,240	5
7	15040000	2.419	205	5	75020000	3.417	514	1
				2	72028000	2.458	2,107	2
				2	72100001	0.130	2,105	3
				3	55003000	7.877	831	4
				3	57110028	1.833	2,132	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
7	15061000	5.944	201	5	75270000	0.566	2,394	1
				7	15061000	5.442	931	2
				3	48070000	5.198	2,390	3
				3	46020003	1.138	930	4
				5	75080000	14.581	2,392	5
7	15061101	0.187	277	2	76010000	26.866	2,439	1
				5	79100000	29.805	2,437	2
				1	17010000	2.056	2,455	3
				5	79070000	26.185	2,406	4
				1	12010000	0.127	2,435	5
7	15090000	4.418	247	7	15090000	3.915	948	1
				4	86020000	7.349	3,232	2
				5	75030000	5.400	3,229	3
				6	87240000	3.751	3,228	4
				6	87038000	4.162	940	5
7	15090000	5.391	404	6	87030000	11.050	2,898	1
				1	03010000	12.063	3,124	2
				3	55060000	8.376	3,508	3
				3	55050000	0.302	2,770	4
				6	87030000	10.983	2,761	5
7	15120000	8.114	175	4	86190500	0.566	817	1
				2	72100001	0.130	2,105	2
				2	72028000	2.458	2,107	3
				1	12004000	9.570	2,062	4
				4	86065000	9.607	812	5
7	15150000	4.377	274	6	87037000	3.549	3,632	1
				6	87240000	7.829	3,655	2
				6	87055000	3.522	1,048	3
				5	75090000	0.004	3,578	4
				7	10130000	7.517	1,062	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office System Analysis and Forecast Evaluation (SAFE) Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
7	15150000	4.501	208	4	93150000	5.308	3,731	1
				5	75030000	3.203	3,683	2
				6	87240000	7.829	3,655	3
				4	86090000	8.122	3,642	4
				6	87037000	5.295	3,651	5
7	15150000	7.889	209	4	93280000	7.067	2,172	1
				7	10140000	7.580	525	2
				3	55003000	6.565	2,190	3
				1	01010000	21.044	2,145	4
				5	70020000	7.254	2,188	5
7	15150000	8.384	186	4	94120000	9.268	2,215	1
				5	11040000	4.626	2,202	2
				4	93005000	1.183	536	3
				5	75050000	4.050	868	4
				3	57110000	3.633	2,194	5
7	15150000	23.114	200	1	12005000	6.205	2,014	1
				2	71020000	13.996	2,089	2
				5	77080000	7.696	2,089	3
				1	12005000	4.614	810	4
				5	77080000	8.721	2,108	5
7	15150000	25.842	169	1	12005000	6.205	2,014	1
				7	10160000	6.818	2,039	2
				7	15150000	26.648	493	3
				2	71070000	14.312	486	4
				4	86040000	6.462	801	5
7	15220000	0.645	311	5	75060000	0.482	3,403	1
				6	87060000	6.660	3,373	2
				6	87120001	0.002	3,512	3
				5	75030000	3.822	3,376	4
				4	89010000	19.149	3,499	5

FLORIDA DEPARTMENT OF TRANSPORTATION

Traffic Engineering and Operations Office

System Analysis and Forecast Evaluation (SAFE)

Sister Signalized Intersections

-----Ranked by District-----

Candidate Intersection				Sister Intersections				
District	RDWYID	Mile Post	Days Between One Expected KA Crashes	District	RDWYID	Mile Post	Days Between One Expected KA Crashes	Top Comparable Intersections with Similar Conditions
7	15230000	4.646	265	1	13130000	1.006	2,330	1
				3	55060000	7.393	908	2
				3	55003000	5.100	2,331	3
				2	71020000	5.979	914	4
				7	10340000	11.395	2,357	5
7	15230000	5.389	171	4	86220000	16.520	899	1
				6	87053000	4.528	528	2
				6	87281000	2.614	3,085	3
				6	87240000	9.287	3,079	4
				4	86220000	4.087	3,097	5