



Installing Oracle 11g Server

Unzip the “win32_11gR1_database.zip” compressed file into a convenient folder such as “C:\Oracle11gDatabase”. Run the “setup.exe” in the target folder to begin the installation.


1. Select the Advanced Installation and click Next.




2. Select the Enterprise Edition and click Next.




3. Leave as default and click Next.




4. Make sure there are no errors and click Next.




5. This windows allows you to create a database, Configure Automatic Storage Management (ASM), or Install Software Only. For this installation, select Create a Database and click Next.




6. Select General Purpose/Transaction Processing and click Next.




7. Here is where the Global Database Name and SID are set. After setting them click Next.



8. Change Allocate Memory to 50% and click Next.



9. Select default and click Next.



Oracle Universal Installer: Select Database Management Option

ORACLE DATABASE 11g

Select Database Management Option

Each Oracle Database 11g may be managed centrally using the Oracle Enterprise Manager 10g Grid Control or locally using the Oracle Enterprise Manager 10g Database Control. For Grid Control, specify the Oracle Management Service through which you will centrally manage your database. For Database Control, you may additionally indicate whether you want to receive email notifications for alerts.

Select the management options for your instance.

☒ Use Grid Control for Database Management

Management Service:

☒ Use Database Control for Database Management

☐ Enable Email Notifications

Outgoing Mail (SMTP) Server:

Email Address:

Help Installed Products... Back **Next** Install Cancel

10. Leave as default and click Next.



Oracle Universal Installer: Specify Database Storage Option

ORACLE DATABASE 11g

Specify Database Storage Option

Select the storage mechanism you would like to use for the database.

☒ File System

Use the file system for database storage. For best database organization and performance, Oracle recommends installing database files and Oracle software on separate disks.

Specify Database file location: Browse...

☐ Automatic Storage Management (ASM)

Automatic Storage Management simplifies database storage administration and optimizes database layout for I/O performance.

Help Installed Products... Back **Next** Install Cancel

11. Backup and Recovery Options are set here. For this installation leave as default and click Next.



Oracle Universal Installer: Specify Backup and Recovery Options

ORACLE DATABASE 11g

Specify Backup and Recovery Options

Select whether or not to enable automated backups for your database. Backup Job, if selected, will use the specified recovery area storage.

☐ Do not enable Automated backups

☒ Enable Automated Backups

Recovery Area Storage

☒ File System

Use the file system for files related to backup and recovery of your database.

Recovery Area Location: Browse...

☐ Automatic Storage Management

Use Automatic Storage Management for files related to backup and recovery.


Backup Job Credentials

Specify the operating system credentials used by the backup job.

Username: Password:

Help Installed Products... Back **Next** Install Cancel

12. Make sure the same password is used for all accounts and click next.



Oracle Universal Installer: Specify Database Schema Passwords

ORACLE DATABASE 11g

Specify Database Schema Passwords

The Starter Database contains pre-loaded schemas, most of which have passwords that will expire and be locked at the end of install. After the install is complete, you must unlock and set new passwords for those accounts you wish to use. Schemas used for the database management and post-install functions are left unlocked, and passwords for these accounts will not expire. Specify the passwords for these accounts.

☐ Use different passwords for these accounts

User Name	Enter Password	Confirm Password
SYS		
SYSTEM		
SYSMAN		
DBSNMP		

☒ Use the same password for all the accounts


Enter Password: Confirm Password:

Help Installed Products... Back **Next** Install Cancel


13. Leave as default and click Next.




14. Review the summary and click Install.



15. Monitor installation.



16. End of Installation and click Exit.




****Instructions for upgrading to 11.1.0.7 are included with the .zip file from Oracle containing the 11.1.0.7 patch in the README.html file.**


Creating Additional Databases

After the first database container has been created, launch the *Database Configuration Assistant* from the *Oracle Configuration and Migration Tools* to create additional databases. The second database will be a little different because advance parameters can be changed.


1. Select Next.




2. Create a Database and select Next.




3. Select General Purpose or Transaction Processing and press Next.




4. Provide a SID and click Next.




5. Leave as Default and click Next.




6. Make sure the same password is used for all accounts and click Next.




7. Leave as Default and click Next




8. Leave as Default and click Next. This can be changed, but the Default will be used here.




9. Leave as Default and click Next. This can be changed, but the Default will be used here.




10. Leave as Default and click Next.




11. Move scale to 50% and click “All Initialization Parameters” button.




12. Click “Show Advanced Parameters” button.




13. Make the following changes and click Close.




14. Leave as Default and click Next.




15. Leave as Default and click Next.




16. Check and select Next.




17. Leave as Default and click Finish.



18. Review and click OK.



19. Monitor as install is running.




Installing Oracle 11g Client

Unzip the “win32_11gR1_client.zip” compressed file into a convenient folder such as “C:\Oracle11gClient”. Run the “setup.exe” in the target folder to begin the installation.


1. Click the Next button.




2. Select the Administrator type and click Next.




3. Leave as default and click Next.




4. Make sure there are no errors and click Next.




5. Review the summary and click Install



6. Monitor the installation



7. Notification of Configuration Assistants



8. End of Installation and click Exit

