

*LOCATION  
HYDRAULICS  
MEMORANDUM*

*SW 10<sup>TH</sup> STREET CONNECTOR  
PD&E STUDY*

*FPID 439891-1-22-02*

*JANUARY 2019*

**RS&H**

*LOCATION*  
*HYDRAULICS*  
*MEMORANDUM*

---

SR 869/SW 10<sup>th</sup>  
Street from west of  
SR 845/Powerline  
Road to west of  
Military Trail.

Financial Project No.:  
439891-1-22-02

Prepared by RS&H, Inc. for the  
Florida Department of  
Transportation (FDOT), District 4

FL. Cert. No.: EB0005620  
E.O.R.: Christian B. Jackson, P.E.  
License No.: 61898



## CONTENTS

Purpose and Overview .....	1
Project Overview .....	1
Base Floodplain .....	2
Risk Assessment.....	3

## LIST OF APPENDICES

Appendix A:	Project Location Map
Appendix B:	FEMA Floodplain Map
Appendix C:	FEMA Floodplain Encroachment Map
Appendix D:	Floodplain Calculations
Appendix E:	SFWMD Drainage Basin Map

## PURPOSE AND OVERVIEW

Protection of floodplains and floodways is required by Executive Order 11988, "Floodplain Management", USDOT Order 5650.2, "Floodplain Management and Protection", and Federal-Aid Policy Guide 23 CFR 650A. Per Chapter 13 (Floodplains) of the FDOT PD&E Manual (2017), *"the intent of these regulations is to avoid or minimize highway encroachments within the 100 year (base) floodplain, where practicable, and to avoid supporting land use development which is incompatible with floodplain values. Where encroachment is unavoidable, the regulations require the Department to take appropriate measures to minimize impacts"*. Location hydraulic studies are required by the Federal-Aid Policy Guide 23 CFR 650A Sec. 650.111. The magnitude of the study reflects the level of significance for floodplain encroachment as determined in the Class of Action Determination from the ETDM Programming Screen. For the SW 10<sup>th</sup> Street Connector PD&E Study, the level of significance for floodplain encroachments is *"minimal encroachments"*, reflective of projects with floodplain involvement but the impacts on human life, transportation facilities, and natural and beneficial floodplain values are not significant and can be resolved with minimal efforts. Normally, these minimal efforts to address the impacts will consist of applying the Department's drainage design standards and following the Water Management's District's procedures to achieve results that will not increase or significantly change the flood elevations and/or limits. For projects where the level of significance for the floodplain encroachment is *"minimal encroachment"*, the findings of the review of the alternatives may consist of documentation in the project file. This Location Hydraulics Memorandum serves such purpose.

## PROJECT OVERVIEW

The SW 10<sup>th</sup> Street Connector PD&E Study is located in the City of Deerfield Beach, Florida, and the limits extend from west of SR 845/Powerline Road to west of Military Trail within the existing SW 10<sup>th</sup> Street right-of-way, approximately from milepost 21.077 to milepost 21.835 (Roadway ID 86472000) and from milepost 0.000 to milepost 1.400 (Roadway ID 86012000). The project falls within Sections 2, 3, 4, 9, 10 and 11 of Township 48 South and Range 42 East. For the limits of this PD&E study, please refer to **Appendix A – Project Location Map**.

The existing typical section along SW 10<sup>th</sup> Street consists of a four-lane divided suburban roadway with raised curbed median, 12-foot travel lanes, 5-foot paved shoulders, and sidewalk along the south side. The existing typical section widens to a six-lane divided roadway at the eastern and western limits of the project, adjacent to connections with Powerline Road and Military Trail.

The proposed typical section for SR 869/SW 10<sup>th</sup> Street within the PD&E study limits provides a four-lane divided urban principal arterial for the general purpose lanes, with raised curbed median, 11-foot travel lanes, 5-foot paved shoulders, and sidewalk along the south side. In the eastbound direction, 7-foot bicycle lanes are proposed from Waterways Boulevard to the end project limits. In the westbound direction, the bicycle lanes are shared-use with the outside shoulder from Powerline Road to the end project limits. The proposed typical section widens to a six-lane divided urban roadway at the eastern and western study limits,

adjacent to connections with Powerline Road and Military Trail as in the existing condition. The proposed managed lanes provide 100.5 feet of new impervious width, consisting of four 12-foot lanes, two 12-foot inside shoulders, two 12-foot outside shoulders, a two-foot median concrete barrier wall, and two 1.25-foot barrier walls on the outside.

The project lies within the jurisdiction of the South Florida Water Management District (SFWMD) and the Broward County Environmental Protection and Growth Management Department (BCEPGMD). The project lies within the SFWMD Hillsboro Canal Drainage Basin and the Broward County Water Control District (BCWCD #2) C-2 and C-3 Canal Basins. The receiving waterbody between the Florida's Turnpike/Sawgrass Expressway and Powerline Road is the C-3 Canal which crosses SW 10<sup>th</sup> Street via culverts. The C-3 Canal receives runoff from the watershed area bounded by the Hillsboro Canal to the north, Florida's Turnpike to the west, SR-834/Sample Road to the south and Powerline Road to the east. The receiving waterbody between Powerline Road and east of Military Trail is the C-2 Canal which crosses SW 10<sup>th</sup> Street via culverts. The C-2 Canal receives runoff from the watershed area bounded by the Hillsboro Canal to the north, Military Trail to the east, SR-834/Sample Road to the south and Powerline Road to the west.

The existing drainage within the PD&E study corridor limits consists primarily of an open swale system that collects and retains roadway runoff, with minimal overflow discharge to the BCWCD #2 C-2 and C-3 Canals. The existing drainage within the project limits can be divided into two distinct systems, which are then subdivided into several sub-basins based on existing collection and conveyance systems, interconnected stormwater management facilities, and outfalls. Between the Florida Turnpike/Sawgrass Expressway and Powerline Road, roadway runoff from SW 10<sup>th</sup> Street eastbound is primarily retained within grassed swales and conveyed to the grassed swales along the westbound corridor, while runoff from SW 10<sup>th</sup> Street westbound is accommodated in wide grassed swales before overtopping into the C-3 Canal. Between Powerline Road and Military Trail, roadway runoff from SW 10<sup>th</sup> Street eastbound is primarily retained within wide grassed swales, while runoff from SW 10<sup>th</sup> Street westbound is accommodated in narrow grassed swales before overtopping into adjacent Century Village parking lots during larger storm events. There is no history of flooding within the existing facilities and the additional runoff from the proposed roadway improvements will be attenuated with additional compensation volume within the proposed stormwater facilities.

## **BASE FLOODPLAIN**

Federal Emergency Management Agency (FEMA) Flood Insurance Rate Maps (FIRM) were obtained to evaluate the floodplains located within or adjacent to the PD&E study limits. FIRM Community Panel Numbers 12011C0166H and 12011C0167H, indicate that much of the project limits are within the 100-year flood zone, Zone AH (EL. 13.00 ft.-NAVD and EL. 14.00 ft.-NAVD) and the encroachment due to the roadway improvements will be longitudinal since the flood zone is within the existing right-of-way and parallel with the existing alignment. Zone AH is a special flood hazard area, subject to inundation by the 100-year flood that experiences flood depths of one to three feet (which are usually areas of ponding) with determined

based flood elevations. Please refer to **Appendix B – FEMA Firmettes** and **Appendix C – Floodplain Location Map**.

There are no regulatory floodways within the PD&E Study project limits and therefore no impacts to regulatory floodways are anticipated as a result of this project.


## *RISK ASSESSMENT*

The project will result only in minimal encroachments to floodplains. These encroachments will be constrained to the limits described above and as shown on **Appendix C**. Encroachments resulting from the construction of the preferred alternative will be fully compensated within the proposed drainage systems to ensure there will be no increase or significant change to flood elevations and/or limits. Please refer to **Appendix D – Floodplain Calculations**.

The proposed drainage system will perform hydraulically in a manner equal to or greater than the existing system, and floodplain surface elevations are not expected to increase. Thus, there will be no significant adverse impacts on natural and beneficial floodplain values. There will be no significant change in flood risk, and there will not be a significant change in the potential for interruption or termination of emergency service or emergency evacuation routes. Therefore, it has been determined that this encroachment is not significant.

Draft

APPENDIX A  
Project Location Map



Florida Department of Transportation  
 SW 10th Street Connector PD&E Study  
 from West of Powerline Road to West of Military Trail  
 FM # 439891-1-22-02  
 Broward County, Florida



Figure 1  
 Project Location Map

APPENDIX B  
FEMA Floodplain Map

**NOTES TO USERS**

This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. The community map repository should be consulted for possible updated or additional flood hazard information.

To obtain more detailed information in areas where **Base Flood Elevations (BFEs)** and/or **floodways** have been determined, users are encouraged to consult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded tenth-foot elevations. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

**Coastal Base Flood Elevations (BFEs)** shown on this map apply only to landward of 0.0' North American Vertical Datum of 1988 (NAVD 88). Users of this FIRM should be aware that coastal flood elevations are also provided in the Summary of Stillwater Elevations table in the Flood Insurance Study report for this jurisdiction. Elevations shown in the Summary of Stillwater Elevations table should be used for construction and/or floodplain management purposes when they are higher than the elevations shown on this FIRM.

Boundaries of the **floodways** were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by **flood control structures**. Refer to Section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

The **projection** used in preparation of this map was Transverse Mercator State Plane Florida East FIPS 9901. The horizontal datum was NAD83 FIRM, GRS1980 spheroid. Differences in datum, spheroid, projection or State Plane zones used in production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not affect the accuracy of this FIRM.

Flood elevations on this map are referenced to the North American Vertical Datum of 1988. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website at <http://www.ngs.noaa.gov> or contact the National Geodetic Survey at the following address:

NGS Information Services  
NOAA NNGS12  
National Geodetic Survey  
SSMC-3, #9202  
1315 East-West Highway  
Silver Spring, Maryland 20910-3282  
(301) 713-3242

To obtain current elevation, description, and/or location information for **bench marks** shown on this map, please contact the Information Services Branch of the National Geodetic Survey at (301) 713-3242 or visit its website at <http://www.ngs.noaa.gov/>.


**Base map** information shown on this FIRM was provided in digital format by Broward County. The original orthophotographic base imagery was provided in color with a one-foot pixel resolution at a scale of 1" = 300' from photography flown in 2008. This map reflects more detailed and up-to-date stream channel configurations than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables in the Flood Insurance Study report (which contains authoritative hydraulic data) may reflect stream channel distances that differ from what is shown on this map.

**Corporate limits** shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this map was published, map users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed **Map Index** for an overview map of the county showing the layout of map panels; community map repository addresses; and a Listing of Communities table containing National Flood Insurance Program dates for each community as well as a listing of the panels on which each community is located.

For information and questions about this map, available products associated with this FIRM including historic versions of this FIRM how to order products, or the National Flood Insurance Program in general, please call the **FEMA Map Information eXchange** at 1-877-FEMA-Map (1-877-339-2627) or visit the FEMA Map Service Center website at <http://msc.fema.gov>. Available products may include previously issued Letters of Map Change, a Flood Insurance Study report, and/or digital versions of this map. Many of these products can be ordered or obtained directly from the website. Users may determine the current map date for each FIRM panel by visiting the FEMA Map Service Center website or by calling the FEMA Map Information eXchange.

The **"profile base lines"** depicted on this map represent the hydraulic modeling baselines that match the flood profiles in the FIS report. As a result of improved topographic data, the profile base line, in some cases, may deviate significantly from the channel centerline or appear outside the SFHA.



**LEGEND**

**SPECIAL FLOOD HAZARD AREAS SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD**

The 1% annual chance flood (100-year flood), also known as the base flood, is the flood that has a 1% chance of being equaled or exceeded in any given year. The Special Flood Hazard Area is the area subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zones A, AE, AF, AO, AR, A99, V, and VE. The Base Flood Elevation is the water-surface elevation of the 1% annual chance flood.

- ZONE A** No Base Flood Elevations determined.
- ZONE AE** Base Flood Elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Elevations determined.
- ZONE AO** Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.
- ZONE AR** Special Flood Hazard Area formerly protected from the 1% annual chance flood by a flood control system that was subsequently decommissioned. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% annual chance or greater flood.
- ZONE A99** Areas to be protected from 1% annual chance flood event by a Federal flood protection system under construction; no Base Flood Elevations determined.
- ZONE V** Coastal flood zone with velocity hazard (wave action); no Base Flood Elevations determined.
- ZONE VE** Coastal flood zone with velocity hazard (wave action); Base Flood Elevations determined.

**FLOODWAY AREAS IN ZONE AE**

The floodway is the channel of a stream plus any adjacent floodplain areas that must be left free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights.

**OTHER FLOOD AREAS**

- ZONE I** Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood.

**OTHER AREAS**

- ZONE D** Areas determined to be outside the 0.2% annual chance floodplain.
- ZONE B** Areas in which flood hazards are undetermined, but possible.

**COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS**

**OTHERWISE PROTECTED AREAS (OPAs)**

CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas.

- 1% annual chance floodplain boundary
- 0.2% annual chance floodplain boundary
- Floodway boundary
- Zone D boundary
- CBRS and OPA boundary
- Boundary dividing Special Flood Hazard Area Zones and boundary dividing Special Flood Hazard Areas of different Base Flood Elevations, flood depths, or flood velocities

**513**  
EL 987  
Referenced to the North American Vertical Datum of 1988

- Cross section line
- Transsect line

Geographic coordinates referenced to the North American Datum of 1983 (NAD 83), Western Hemisphere  
1000-meter Universal Transverse Mercator grid ticks, zone 17  
5000-foot grid values: Florida State Plane coordinate system, East Zone (FIPSZONE = 0901), Transverse Mercator projection  
Bench mark (see explanation in Notes to Users section of this FIRM panel)  
• M1.5  
River Mile  
MAP REPOSITORIES  
Refer to Map Repositories List on Map Index

EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP  
August 16, 2014

EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANEL

For community map revision history prior to countywide mapping, refer to the Community Map History table located in the Flood Insurance Study report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

**MAP SCALE 1" = 500'**

**NFIP**  
**NATIONAL FLOOD INSURANCE PROGRAM**

PANEL 0166H

**FIRM**  
**FLOOD INSURANCE RATE MAP**  
**BROWARD COUNTY,**  
**FLORIDA**  
**AND INCORPORATED AREAS**

PANEL 166 OF 751  
(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
BROWARD COUNTY	125093	0166	H
COCONUT CREEK, CITY OF	120031	0166	H
DEERFIELD BEACH, CITY OF	125101	0166	H

Notice to User: The Map Number shown below should be used when placing map orders; the Community Number shown above should be used on insurance applications for the subject community.

**MAP NUMBER**  
**12011C0166H**

**EFFECTIVE DATE**  
**AUGUST 16, 2014**

**Federal Emergency Management Agency**

**NOTES TO USERS**

This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. The community map repository should be consulted for possible updated or additional flood hazard information.

To obtain more detailed information in areas where Base Flood Elevations (BFEs) and/or floodways have been determined, users are encouraged to consult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded tenth-foot elevations. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

**Coastal Base Flood Elevations (BFEs)** shown on this map apply only to landward of 0.0' North American Vertical Datum of 1988 (NAVD 88). Users of this FIRM should be aware that coastal flood elevations are also provided in the Summary of Stillwater Elevations table in the Flood Insurance Study report for this jurisdiction. Elevations shown in the Summary of Stillwater Elevations table should be used for construction and/or floodplain management purposes when they are higher than the elevations shown on this FIRM.

Boundaries of the **floodways** were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures. Refer to Section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

The **projection** used in preparation of this map was Transverse Mercator State Plane Florida East FIPS 0901. The horizontal datum was NAD83 FARN, GRS1980 spheroid. Differences in datum, spheroid, projection or State Plane zones used in production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not affect the accuracy of this FIRM.

Flood elevations on this map are referenced to the North American Vertical Datum of 1988. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website at <http://www.ngs.noaa.gov> or contact the National Geodetic Survey at the following address:

NGS Information Services  
NOAA NNGS12  
National Geodetic Survey  
SSMC3 #9202  
1315 East-West Highway  
Silver Spring, Maryland 20910-3282  
(301) 713-3242

To obtain current elevation, description, and/or location information for **bench marks** shown on this map, please contact the Information Services Branch of the National Geodetic Survey at (301) 713-3242 or visit its website at <http://www.ngs.noaa.gov/>.

**Base map** information shown on this FIRM was provided in digital format by Broward County. The original orthorectified base imagery was provided in color with a one-foot pixel resolution at a scale of 1" = 30' from photography flown in 2008.


This map reflects more detailed and up-to-date stream channel configurations than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables in the Flood Insurance Study report (which contains authoritative hydraulic data) may reflect stream channel distances that differ from what is shown on this map.

**Corporate limits** shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this map was published, map users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed **Map Index** for an overview map of the county showing the layout of map panels; community map repository addresses; and a Listing of Communities table containing National Flood Insurance Program dates for each community as well as a listing of the panels on which each community is located.

For information and questions about this map, available products associated with this FIRM including historic versions of this FIRM how to order products, or the National Flood Insurance Program in general, please call the **FEMA Map Information eXchange** at 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA Map Service Center website at <http://msc.fema.gov>. Available products may include previously issued Letters of Map Change, a Flood Insurance Study report, and/or digital versions of this map. Many of these products can be ordered or obtained directly from the website. Users may determine the current map date for each FIRM panel by visiting the FEMA Map Service Center website or by calling the FEMA Map Information eXchange.

The "profile base lines" depicted on this map represent the hydraulic modeling baselines that match the flood profiles in the FIS report. As a result of improved topographic data, the profile base line, in some cases, may deviate significantly from the channel centerline or appear outside the SFHA.



**LEGEND**

**SPECIAL FLOOD HAZARD AREAS SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD**

The 1% annual chance flood (100-year flood), also known as the base flood, is the flood that has a 1% chance of being equaled or exceeded in any given year. The Special Flood Hazard Area is the area subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zones A, AE, AF, AO, AR, A99, V, and VE. The Base Flood Elevation is the water-surface elevation of the 1% annual chance flood.

- ZONE A** No Base Flood Elevations determined.
- ZONE AE** Base Flood Elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Elevations determined.
- ZONE AO** Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.
- ZONE AR** Special Flood Hazard Area formerly protected from the 1% annual chance flood by a flood control system that was subsequently decommissioned. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% annual chance or greater flood.
- ZONE A99** Areas to be protected from 1% annual chance flood event by a Federal flood protection system under construction; no Base Flood Elevations determined.
- ZONE V** Coastal flood zone with velocity hazard (wave action); no Base Flood Elevations determined.
- ZONE VE** Coastal flood zone with velocity hazard (wave action); Base Flood Elevations determined.

**FLOODWAY AREAS IN ZONE AE**

The floodway is the channel of a stream plus any adjacent floodplain areas that must be left free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights.

**OTHER FLOOD AREAS**

- ZONE I** Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood.

**OTHER AREAS**

- ZONE D** Areas determined to be outside the 0.2% annual chance floodplain.
- Areas in which flood hazards are undetermined, but possible.

**COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS**

**OTHERWISE PROTECTED AREAS (OPAs)**

CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas.

- 1% annual chance floodplain boundary
- 0.2% annual chance floodplain boundary
- Floodway boundary
- Zone D boundary
- CBRS and OPA boundary
- Boundary dividing Special Flood Hazard Area Zones and boundary dividing Special Flood Hazard Areas of different Base Flood Elevations, flood depths, or flood velocities
- Base Flood Elevation line and value; elevation in feet
- Base Flood Elevation value where uniform within zone; elevation in feet
- Referenced to the North American Vertical Datum of 1988
- Cross section line
- Transsect line
- Geographic coordinates referenced to the North American Datum of 1983 (NAD 83), Western Hemisphere
- 1000-meter Universal Transverse Mercator grid ticks, zone 17
- 5000-foot grid values: Florida State Plane coordinate system, East Zone (FIPSZONE = 0901), Transverse Mercator projection
- Bench mark (see explanation in Notes to Users section of this FIRM panel)
- River Mile
- MAP REPOSITORIES
- Refer to Map Repositories List on Map Index
- EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP
- August 16, 2014
- EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANEL

For community map revision history prior to countywide mapping, refer to the Community Map History table located in the Flood Insurance Study report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

**MAP SCALE 1" = 500'**

**NATIONAL FLOOD INSURANCE PROGRAM**

**PANEL 0167H**

**FIRM**

**FLOOD INSURANCE RATE MAP**

**BROWARD COUNTY, FLORIDA AND INCORPORATED AREAS**

**PANEL 167 OF 751**

(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

COMMUNITY	NUMBER	PANEL	SUFFIX
BROWARD COUNTY	125093	0167	H
DEERFIELD BEACH, CITY OF	125101	0167	H

Notice to User: The Map Number shown below should be used when placing map orders; the Community Number shown above should be used on insurance applications for the subject community.

**MAP NUMBER 12011C0167H**


**EFFECTIVE DATE AUGUST 16, 2014**

**Federal Emergency Management Agency**

Draft

APPENDIX C

FEMA Floodplain Encroachment Map



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION


**RS&H, Inc.**  
 3125 W. Commercial Blvd. - Suite 130  
 Fort Lauderdale, Florida 33309-3446  
 954-474-3005  
 FL Cert. No. EB0005620  
 Christian B. Jackson, P.E. No. 61898

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
869	BROWARD	439891-1-52-01

**FEMA FLOODPLAIN  
ENCROACHMENT MAPS**


SHEET NO.  
**1**

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

REVISIONS				<b>RS&amp;H, Inc.</b> 3125 W. Commercial Blvd. - Suite 130 Fort Lauderdale, Florida 33309-3446 954-474-3005 FL Cert. No. EB0005620 Christian B. Jackson, P.E. No. 61898	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			<b>FEMA FLOODPLAIN          ENCROACHMENT MAPS</b>	SHEET NO.  2
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
					869	BROWARD	439891-1-52-01		



T 48S, R 42E, S 4  
T 48S, R 42E, S 9

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION


**RS&H, Inc.**  
 3125 W. Commercial Blvd. - Suite 130  
 Fort Lauderdale, Florida 33309-3446  
 954-474-3005  
 FL Cert. No. EB0005620  
 Christian B. Jackson, P.E. No. 61898

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
869	BROWARD	439891-1-52-01

**FEMA FLOODPLAIN  
ENCROACHMENT MAPS**

SHEET NO.  
3

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



MATCHLINE C-C

MATCHLINE D-D

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION


**RS&H, Inc.**  
 3125 W. Commercial Blvd. - Suite 130  
 Fort Lauderdale, Florida 33309-3446  
 954-474-3005  
 FL Cert. No. EB0005620  
 Christian B. Jackson, P.E. No. 61898

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
869	BROWARD	439891-1-52-01

**FEMA FLOODPLAIN  
ENCROACHMENT MAPS**

SHEET NO.  
4

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.


REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION

**RS&H, Inc.**  
 3125 W. Commercial Blvd. - Suite 130  
 Fort Lauderdale, Florida 33309-3446  
 954-474-3005  
 FL Cert. No. EB0005620  
 Christian B. Jackson, P.E. No. 61898

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
869	BROWARD	439891-1-52-01

**FEMA FLOODPLAIN  
ENCROACHMENT MAPS**

SHEET  
NO.  
**5**



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION


**RS&H, Inc.**  
 3125 W. Commercial Blvd. - Suite 130  
 Fort Lauderdale, Florida 33309-3446  
 954-474-3005  
 FL Cert. No. EB0005620  
 Christian B. Jackson, P.E. No. 61898

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
869	BROWARD	439891-1-52-01

**FEMA FLOODPLAIN  
ENCROACHMENT MAPS**

SHEET NO.  
6

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



- - - BASIN DELINEATIONS  
 FLOODPLAIN ENCROACHMENT

North Arrow  
 Scale: 0 20 100 Feet

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION

**RS&H, Inc.**  
 3125 W. Commercial Blvd. - Suite 130  
 Fort Lauderdale, Florida 33309-3446  
 954-474-3005  
 FL Cert. No. EB0005620  
 Christian B. Jackson, P.E. No. 61898

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
869	BROWARD	439891-1-52-01

**FEMA FLOODPLAIN  
ENCROACHMENT MAPS**

SHEET NO.  
 7

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

APPENDIX D  
Floodplain Calculations

**SR 869/SW 10th Street Connector PD&E Study Drainage Calculations**  
**Floodplain Calculations**

Zone 1 - Turnpike/Sawgrass Expressway to Powerline Road			
Floodplain Zone AH - Floodplain Elevation =		13.00	ft. NAVD
Existing Average Ground Elevation =		12.00	ft. NAVD
Average Depth (FT)	Depth (YD)	Encroachment Area (SY)	Encroachment Volume (CY)
1.00	0.33	17,182.00	5,727.33

Proposed Pond				
Compensation Volume (Ponds)		Compensation Volume (French Drain)		Total Compensation Volume
Ac-ft	CY	Ac-ft	CY	CY
27.79	44,834.53	-	-	44,834.53

Zone 2 - Powerline Road to SW 30th Street			
Floodplain Zone AH - Floodplain Elevation =		14.00	ft. NAVD
Existing Average Ground Elevation =		12.50	ft. NAVD
Average Depth (FT)	Depth (YD)	Encroachment Area (SY)	Encroachment Volume (CY)
1.50	0.50	39,107.20	19,553.60

Proposed Pond				
Compensation Volume (Ponds)		Compensation Volume (French Drain)		Total Compensation Volume
Ac-ft	CY	Ac-ft	CY	CY
62.46	100,768.80	-	-	100,768.80

Zone 3 - SW 30th Street to Military Trail			
Floodplain Zone AH - Floodplain Elevation =		14.00	ft. NAVD
Existing Average Ground Elevation =		12.50	ft. NAVD
Average Depth (FT)	Depth (YD)	Encroachment Area (SY)	Encroachment Volume (CY)
1.50	0.50	15,972.00	7,986.00

<b>Total Encroachment Volume (CY) - Floodplain Zone AH =</b>	<b>33,267</b>
--	---------------


<b>Total Compensation Volume (CY) - Ponds =</b>	<b>145,603</b>
---	----------------

\* Refer to Appendix C - FEMA Floodplain Encroachment Map in the Location Hydraulics Memorandum

Compensation > Encroachment	=	yes
Surplus Compensation (CY)	=	112,336

Draft

APPENDIX E  
SFWMD Drainage Basin Map



**DRAINAGE BASINS for  
EASTERN BROWARD COUNTY, FL.**

**Figure B-1**

